

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和2年7月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定点 No.	測定場所	1日 (水)	2日 (木)	3日 (金)	4日 (土)	5日 (日)	6日 (月)	7日 (火)	8日 (水)	9日 (木)	10日 (金)	11日 (土)	12日 (日)	13日 (月)	14日 (火)	15日 (水)	16日 (木)	17日 (金)	18日 (土)	19日 (日)	20日 (月)	21日 (火)	22日 (水)	23日 (木)	24日 (金)	25日 (土)	26日 (日)	27日 (月)	28日 (火)	29日 (水)	30日 (木)	31日 (金)	平均	
1	飛行場北側	62.1	62.7	63.5	60.2	---	56.7	63.7	61	64.2	60.1	57.1	---	61.1	55.1	57.9	63.4	66.6	65.7	44.3	65.2	61.7	63.9	54.7	61.2	53.8	54.9	60.3	61.4	58	62.3	62.8	61.5	
		(79.6)	(82.1)	(83.9)	(78.4)	(---)	(76.2)	(80.6)	(78.0)	(82.8)	(80.0)	(77.3)	(---)	(80.0)	(73.1)	(76.9)	(80.9)	(84.4)	(84.9)	(62.4)	(83.0)	(79.5)	(83.0)	(73.3)	(78.0)	(73.2)	(73.1)	(79.9)	(80.4)	(76.1)	(80.9)	(82.2)	(80.1)	
		54	71	45	11	0	17	87	33	71	28	5	0	48	25	25	88	50	17	1	70	53	66	15	99	8	2	33	70	28	83	95	42	
2	飛行場南側	55.4	57.6	59.9	53.5	48.7	52.8	57.4	53	57.6	56.8	62.7	49.6	57.1	60.7	52.6	60.9	64.2	56.5	44.8	67	61.4	59.1	58.3	56.4	56.1	49.1	55.3	56.5	63.4	60.7	56.6	59.2	
		(72.4)	(74.3)	(77.3)	(70.9)	(64.5)	(68.2)	(73.8)	(67.8)	(73.8)	(72.8)	(79.7)	(68.3)	(74.6)	(78.9)	(71.3)	(79.7)	(82.2)	(75.7)	(60.6)	(85.0)	(78.9)	(76.1)	(76.5)	(73.9)	(75.7)	(67.0)	(71.4)	(72.5)	(80.9)	(79.4)	(73.1)	(76.9)	
		25	47	40	14	2	20	53	22	46	32	19	4	37	55	10	55	44	10	1	33	33	60	20	24	8	1	35	55	46	51	50	31	
3	綾南小学校	46.9	50.4	50.5	48.3	38.5	46.1	48	45.5	50.9	50.8	60.6	39.6	51	51.8	43.5	52	50.1	43.4	39	56	50.4	51.5	44.2	44.6	44.6	40.1	48.3	47.9	53	50	50.1	50.8	
		(61.5)	(64.3)	(64.2)	(62.4)	(51.7)	(60.2)	(62.3)	(58.7)	(64.7)	(64.0)	(77.1)	(53.9)	(64.9)	(66.7)	(58.2)	(66.7)	(64.0)	(57.8)	(52.2)	(69.6)	(64.9)	(66.3)	(57.6)	(59.4)	(59.1)	(54.2)	(62.5)	(61.3)	(67.1)	(64.4)	(64.6)	(65.8)	
		15	20	25	9	2	8	20	11	31	31	12	4	23	29	8	40	36	8	2	15	18	39	9	11	6	2	24	24	30	33	37	19	
4	天台小学校	41.6	46.5	52.5	46.8	---	44.6	45.8	42.7	47.6	44.6	49.2	---	44.9	47.3	33.3	51.1	37.7	---	26.6	48.6	41.2	53.8	41	38	40.6	---	45.2	46.8	43.2	50.5	48.3	46.9	
		(56.6)	(61.3)	(66.3)	(60.5)	(---)	(59.0)	(54.3)	(62.7)	(60.2)	(67.8)	(60.2)	(67.8)	(---)	(58.3)	(61.8)	(43.1)	(65.6)	(50.6)	(---)	(43.3)	(61.5)	(54.1)	(66.5)	(55.0)	(54.3)	(55.0)	(---)	(59.7)	(60.8)	(57.2)	(64.3)	(62.9)	(60.9)
		6	18	32	11	0	10	9	8	24	10	4	0	13	18	1	49	4	0	1	18	7	39	1	3	2	0	18	19	5	27	31	13	
5	引地台中学校	36.8	43.2	---	39	31.2	37.2	44.4	44.5	37.7	37.2	40.8	---	32.5	44.3	---	35.1	44.6	43.3	---	45.4	43.6	37.5	43.6	35.5	34.1	---	42.6	43.6	36.8	38.1	32.1	40.5	
		(50.3)	(59.5)	(---)	(49.8)	(43.4)	(51.2)	(60.3)	(58.7)	(53.1)	(52.7)	(59.7)	(---)	(49.1)	(59.1)	(---)	(49.6)	(57.5)	(57.9)	(---)	(60.5)	(60.0)	(49.7)	(59.1)	(48.6)	(60.5)	(---)	(56.7)	(59.0)	(53.4)	(53.0)	(45.9)	(55.7)	
		2	7	0	1	1	5	4	9	4	6	3	0	3	13	0	3	2	5	0	4	3	2	10	2	1	0	5	9	3	7	1	4	
6	座間防衛事務所	51.6	49.7	50.8	49.1	38.4	46.4	51.4	49.2	53.4	47.8	42.4	---	48.3	45.8	45.3	52.4	52.8	50.2	32.8	52	51.8	49.3	44.9	45.7	44.2	41.8	47.5	51	45.4	51	47.6	49.1	
		(64.9)	(64.4)	(65.7)	(63.3)	(55.4)	(61.2)	(65.5)	(63.9)	(68.4)	(63.0)	(57.9)	(---)	(62.7)	(60.8)	(59.2)	(66.5)	(66.1)	(63.3)	(47.7)	(66.8)	(64.7)	(63.2)	(59.1)	(59.1)	(58.3)	(56.2)	(63.1)	(64.6)	(59.9)	(64.8)	(61.7)	(63.3)	
		24	35	36	13	5	17	36	22	48	25	7	0	34	19	14	46	34	13	1	29	27	41	6	12	6	4	21	37	12	36	26	22	
7	上鶴間小学校	54.2	48	51.2	39.8	40.8	47	52.1	48.4	53.5	47.2	42.9	---	48.9	43	44.3	50.7	45.3	45.5	39	49.8	52.7	49.8	42.1	45.9	41.1	44.5	45.4	51.6	42.2	50.9	50	48.6	
		(66.4)	(62.2)	(65.5)	(53.9)	(54.7)	(62.3)	(64.7)	(61.6)	(67.1)	(61.0)	(57.2)	(---)	(63.4)	(57.9)	(58.4)	(62.8)	(62.8)	(58.9)	(55.0)	(63.2)	(65.4)	(63.0)	(55.9)	(57.5)	(54.1)	(56.3)	(58.9)	(64.5)	(60.0)	(62.8)	(64.4)	(62.1)	
		20	16	19	2	2	8	23	12	23	16	4	0	22	4	9	17	4	6	1	19	19	17	5	12	5	3	8	17	4	21	14	11	
8	西鶴間小学校	52.7	51.9	54.2	46.3	35.1	45.5	50.8	47.3	52.4	47.5	38.1	---	52.3	47.5	49.6	53.5	58.6	56.9	---	56.2	53.1	51.8	47.9	49.5	46.1	44.1	47	50.8	51.7	53.1	50.6	51.6	
		(65.5)	(67.7)	(70.7)	(59.1)	(51.3)	(60.2)	(64.8)	(62.6)	(66.1)	(62.5)	(52.0)	(---)	(68.0)	(62.2)	(64.3)	(68.7)	(73.1)	(71.9)	(---)	(72.9)	(67.7)	(65.3)	(62.5)	(63.9)	(60.6)	(61.3)	(61.8)	(64.8)	(66.5)	(67.0)	(65.1)	66.6	
		28	38	46	10	2	16	26	12	39	23	4	0	32	18	18	54	35	14	0	28	23	36	8	16	5	4	21	31	16	47	31	22	
9	相模野小学校	36.7	39.7	41.4	33.7	---	39.8	39	32.2	45.8	38.5	29.6	---	---	44.8	---	42.8	35.5	---	---	39.3	31.5	37.9	42	41.3	---	---	39.1	43.9	---	43.6	44.2	39.5	
		(50.8)	(54.6)	(56.1)	(47.8)	(---)	(55.4)	(55.3)	(47.0)	(61.5)	(53.6)	(43.4)	(---)	(---)	(60.4)	(---)	(57.7)	(49.9)	(---)	(---)	(51.1)	(45.3)	(52.0)	(60.3)	(59.4)	(---)	(---)	(54.1)	(58.5)	(---)	(58.2)	(60.1)	(55.1)	
		1	3	5	1	0	3	3	2	10	6	1	0	0	5	0	9	2	0	0	3	1	4	1	1	0	0	6	11	0	5	6	3	
10	文ヶ岡小学校	53.8	47.9	37.6	---	---	---	54.4	44.8	46.3	29.3	27.7	---	46.6	39.4	38.9	52.9	50.7	47.2	32.3	54	46	48.3	---	55	43.2	---	39.7	49.4	43	46.1	52.2	48.3	
		(68.8)	(61.8)	(50.9)	(---)	(---)	(---)	(68.1)	(60.5)	(60.2)	(45.0)	(43.2)	(---)	(59.7)	(50.9)	(50.9)	(64.4)	(62.9)	(58.4)	(45.3)	(67.1)	(60.2)	(60.7)	(---)	(67.2)	(55.9)	(---)	(55.4)	(63.1)	(56.2)	(59.5)	(65.2)	(61.5)	
		35	20	3	0	0	0	45	9	11	1	1	0	4	4	4	27	23	8	1	36	11	12	0	55	5	0	4	24	7	19	30	13	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
南関東防衛局 企画部 住宅防音第1課
045-211-7113

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和2年7月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定点 No.	測定場所	1日 (水)	2日 (木)	3日 (金)	4日 (土)	5日 (日)	6日 (月)	7日 (火)	8日 (水)	9日 (木)	10日 (金)	11日 (土)	12日 (日)	13日 (月)	14日 (火)	15日 (水)	16日 (木)	17日 (金)	18日 (土)	19日 (日)	20日 (月)	21日 (火)	22日 (水)	23日 (木)	24日 (金)	25日 (土)	26日 (日)	27日 (月)	28日 (火)	29日 (水)	30日 (木)	31日 (金)	平均					
11	中村自治会館	48.2 (63.9) 8	50.4 (65.5) 12	42.2 (55.0) 2	42.4 (57.8) 4	31.9 (48.2) 2	43.3 (58.3) 6	50.5 (64.0) 29	45.9 (58.9) 13	29.3 (45.3) 1	45.6 (59.8) 6	57.8 (75.7) 3	26.8 (44.3) 1	45.1 (59.3) 8	55.1 (68.7) 32	41.5 (55.1) 2	53.1 (66.7) 14	49.4 (61.3) 16	43.4 (55.3) 2	---	51.6 (65.7) 27	47.9 (61.2) 16	45.9 (59.8) 14	44.7 (58.8) 3	48.9 (61.5) 17	40.4 (52.9) 2	---	47.2 (61.3) 22	51.9 (65.5) 46	55.8 (68.1) 41	36.8 (50.6) 2	45.7 (59.5) 10	49.4 (64.4) 12					
12	大庭中学校	---	43.5 (57.7) 0	45 (58.4) 4	41.4 (55.4) 4	31.7 (44.6) 1	34.7 (47.4) 1	38.3 (53.5) 2	---	41.5 (53.8) 6	43.4 (56.5) 11	58.3 (75.2) 12	32.6 (45.2) 1	43.6 (57.2) 8	43.9 (56.0) 7	47.8 (61.1) 6	46.4 (60.3) 10	53.7 (67.5) 36	45.4 (59.5) 9	33.2 (45.4) 1	46.6 (59.0) 6	43.5 (56.2) 4	40.9 (53.8) 7	45.4 (59.5) 8	41.5 (53.1) 4	44.6 (58.3) 6	33.5 (45.9) 1	34.7 (47.6) 2	37.8 (52.6) 3	50.9 (63.7) 19	46.4 (59.9) 14	40.1 (53.6) 7	47 (62.3) 7					
13	立野台小学校	31.1 (44.6) 1	45.6 (61.2) 10	39.4 (53.2) 7	---	---	40.5 (55.5) 4	38.6 (52.9) 2	39.9 (54.2) 2	41.1 (56.0) 9	44 (59.0) 8	30.4 (43.9) 1	---	---	39.1 (53.4) 0	---	43.9 (57.5) 13	---	---	---	33.4 (44.7) 1	---	---	---	---	---	---	---	33.4 (44.7) 1	---	---	---	37.4 (51.9) 5	38.9 (52.1) 4	---	37 (50.4) 4	38.1 (52.8) 5	37.5 (52.1) 3
14	JAさがみ綾西支店	31.7 (44.3) 1	45.2 (61.5) 10	41.8 (56.0) 7	---	---	37.3 (52.8) 2	36.1 (51.4) 6	37.3 (51.4) 1	---	53.9 (72.2) 3	---	---	32.9 (49.9) 0	43.5 (56.8) 14	---	42 (55.7) 7	28.4 (43.7) 1	---	---	38.4 (54.9) 3	---	34.4 (49.0) 1	39.9 (52.8) 2	34 (47.2) 2	29.9 (44.9) 1	---	---	36.1 (46.2) 2	36.1 (49.5) 3	35.4 (49.0) 2	39.7 (52.6) 4	44.5 (56.3) 7	41.5 (58.5) 3				
15	町田市健康福祉会館	52.4 (64.7) 18	48.5 (61.6) 14	50.7 (65.0) 14	43.2 (59.0) 3	54.2 (72.8) 8	48.2 (62.3) 7	50.8 (63.5) 19	50.8 (63.5) 13	52.5 (65.2) 22	48.6 (61.3) 17	45.4 (61.3) 5	---	48.4 (62.3) 20	34.1 (47.5) 1	50.6 (68.5) 11	49.3 (61.5) 11	33.3 (43.3) 1	40.3 (53.4) 3	39.9 (54.6) 1	47.8 (62.0) 8	50.7 (64.8) 15	50.3 (64.1) 17	---	42.8 (54.2) 0	33.6 (46.1) 7	44.2 (59.1) 2	46.2 (60.1) 7	50.7 (62.1) 16	---	48.2 (59.9) 11	47.3 (61.4) 11	48.4 (63.1) 9					
16	藤沢総合高校	48.1 (62.6) 15	47.4 (61.0) 17	41.9 (54.2) 5	39.6 (52.7) 3	41.4 (56.2) 2	43.9 (57.9) 11	46.2 (59.9) 13	48.5 (63.7) 11	47.6 (61.5) 17	49.4 (63.0) 23	60.8 (74.6) 10	32.6 (44.9) 1	46.6 (60.0) 15	45.8 (58.0) 13	39.3 (54.7) 4	40.6 (53.2) 6	39.7 (53.9) 5	38.7 (52.7) 5	36 (49.1) 2	51.5 (64.3) 6	45.8 (59.6) 9	45.6 (59.2) 17	37.3 (50.7) 3	42.3 (56.9) 5	40.6 (54.3) 4	34.9 (48.1) 1	44.5 (58.5) 9	48.7 (62.6) 18	47.3 (58.6) 10	40 (53.4) 7	43.1 (56.5) 9	48.5 (62.3) 9					
17	金井中学校	51.9 (63.3) 15	43.9 (57.9) 9	46.4 (60.2) 5	38.4 (52.7) 1	36.6 (49.5) 1	43.5 (57.0) 6	47.9 (62.3) 13	41.3 (54.9) 7	50.1 (62.1) 13	45.7 (58.0) 8	38.9 (53.6) 1	35.5 (52.2) 1	43.8 (57.6) 12	38.3 (55.3) 1	39.5 (54.7) 2	43.9 (57.5) 1	---	34.2 (48.8) 1	39.8 (53.4) 1	39.8 (53.9) 2	49.5 (63.6) 8	43.8 (58.9) 8	---	43 (53.7) 5	---	39.2 (55.9) 1	45.3 (60.3) 8	44.1 (56.3) 7	---	36.7 (48.6) 0	44.4 (56.1) 2	44.1 (57.4) 5					
18	鶴川中学校	38.9 (52.2) 3	32.2 (46.1) 1	34.6 (46.6) 2	---	---	35.4 (47.6) 2	46.1 (58.4) 5	43.1 (58.2) 2	43.6 (57.1) 6	36.5 (49.7) 3	---	---	30 (45.3) 1	---	37.2 (51.3) 1	39.6 (51.0) 3	---	---	39 (49.6) 2	31.3 (43.8) 1	34.2 (49.0) 2	40 (53.1) 3	---	38.7 (48.0) 1	---	---	---	---	---	---	---	---	36 (49.9) 1	36.9 (50.0) 1			
19	大沼小学校	38.5 (49.5) 1	---	40.4 (54.7) 4	---	---	---	41.1 (54.7) 0	43.3 (54.4) 3	---	33.5 (45.7) 0	---	29.1 (43.9) 1	30.3 (46.1) 1	31.2 (44.6) 1	---	43.9 (58.4) 3	44.8 (56.6) 6	44 (55.0) 3	---	45.8 (58.5) 0	32.7 (45.5) 1	---	---	---	---	---	40.9 (54.4) 1	43.3 (57.5) 2	38.8 (53.3) 1	27.3 (43.6) 1	---	38.5 (51.5) 0					
20	国分コミュニティセンター	33.8 (47.9) 1	45.2 (61.1) 8	25.5 (44.2) 1	---	---	34.2 (48.7) 1	31.8 (46.4) 1	36.1 (50.5) 1	20.3 (45.1) 1	37.8 (53.2) 2	52.6 (72.5) 6	38.4 (56.3) 2	41.1 (58.8) 4	---	33.2 (51.2) 4	34.3 (44.2) 1	---	---	31.3 (46.6) 2	33.3 (50.5) 3	33.3 (51.8) 4	25.7 (48.6) 1	35.2 (53.9) 5	29.4 (47.1) 2	---	---	35.7 (48.3) 1	31.5 (47.4) 1	---	34.6 (49.0) 2	31.7 (43.5) 1	39.5 (58.5) 2					

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
南関東防衛局 企画部 住宅防音第1課
045-211-7113

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和2年7月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定点 No.	測定場所	1日 (水)	2日 (木)	3日 (金)	4日 (土)	5日 (日)	6日 (月)	7日 (火)	8日 (水)	9日 (木)	10日 (金)	11日 (土)	12日 (日)	13日 (月)	14日 (火)	15日 (水)	16日 (木)	17日 (金)	18日 (土)	19日 (日)	20日 (月)	21日 (火)	22日 (水)	23日 (木)	24日 (金)	25日 (土)	26日 (日)	27日 (月)	28日 (火)	29日 (水)	30日 (木)	31日 (金)	平均	
21	御所見中学校	51.6 (66.7) 4	55.1 (71.6) 6	51.5 (66.6) 5	45.7 (59.5) 1	51.3 (65.9) 3	51.9 (66.1) 3	50.9 (64.9) 3	50.7 (66.7) 4	50.8 (65.4) 6	53.7 (68.1) 7	55.3 (73.3) 4	50.8 (64.5) 2	51.2 (65.6) 4	38.8 (53.1) 4	52.5 (66.9) 3	51.6 (65.5) 6	49.1 (63.0) 1	---	---	51.6 (66.1) 3	52.9 (67.0) 3	46.7 (61.9) 3	52.9 (66.9) 4	49.5 (64.5) 1	52.4 (67.2) 3	45.5 (59.3) 1	47.7 (62.5) 1	50.7 (68.1) 6	50.8 (64.9) 4	50.4 (65.1) 2	61 (77.7) 11	50.1 (63.9) 4	52.2 (67.9) 4
22	湘南台小学校	40.2 (53.3) 5	36.9 (51.4) 3	---	32.2 (44.6) 1	31.1 (45.3) 1	31.5 (43.9) 1	---	40.7 (53.8) 5	39.9 (52.5) 3	35.5 (48.2) 3	64.5 (81.1) 11	---	34.5 (49.3) 0	---	---	---	---	---	---	32.6 (43.8) 1	37.2 (48.9) 1	---	---	---	31.8 (43.4) 1	33.3 (48.3) 1	---	---	38 (51.0) 4	---	---	---	49.7 (66.3) 1
23	小和田小学校	---	36.4 (48.9) 1	31.1 (43.0) 1	---	31.2 (48.6) 1	---	---	---	---	---	47.3 (66.2) 3	37.7 (55.1) 1	---	---	36.3 (46.2) 1	---	35.5 (48.1) 3	---	30 (43.4) 1	41.4 (54.1) 2	40 (51.0) 2	---	31 (43.5) 1	---	---	---	---	---	31.1 (44.3) 1	36.6 (49.9) 2	31.5 (45.8) 1	35.4 (52.4) 1	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先

南関東防衛局 企画部 住宅防音第1課

045-211-7113