

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和4年3月

上段：Lden 中段：WECPNL 下段：騒音発生回数

| 測定点 No. | 測定場所 | 1日 (火) | 2日 (水) | 3日 (木) | 4日 (金) | 5日 (土) | 6日 (日) | 7日 (月) | 8日 (火) | 9日 (水) | 10日 (木) | 11日 (金) | 12日 (土) | 13日 (日) | 14日 (月) | 15日 (火) | 16日 (水) | 17日 (木) | 18日 (金) | 19日 (土) | 20日 (日) | 21日 (月) | 22日 (火) | 23日 (水) | 24日 (木) | 25日 (金) | 26日 (土) | 27日 (日) | 28日 (月) | 29日 (火) | 30日 (水) | 31日 (木) | 平均 |
|---------|---------|-----------------------|-----------------------|----------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|-----------------------|-----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|-----------------------|----------------------|----------------------|---------------------|----------------------|----------------------|-----------------------|----------------------|----------------------|---------------------|---------------------|----------------------|----------------------|----------------------|-----------------------|----------------------|
| 1 | 飛行場北側 | 63.3 (80.9) 136 | 65.1 (82.1) 109 | 62.2 (81.2) 78 | 65.1 (84.4) 90 | 63.9 (83.6) 43 | 60.1 (72.7) 4 | 69.1 (87.9) 84 | 72.6 (91.6) 72 | 57.7 (74.3) 67 | 65.4 (83.2) 101 | 65.5 (83.3) 113 | 61.4 (78.6) 20 | 51.3 (69.0) 3 | 77.2 (97.1) 37 | 75.5 (94.5) 80 | 61.9 (79.9) 56 | 67.2 (85.5) 102 | 54.8 (71.1) 14 | 61.1 (81.1) 19 | 44.7 (60.7) 1 | 64.5 (79.9) 41 | 55.6 (71.3) 27 | 62.1 (79.9) 122 | 73.7 (92.5) 83 | 60.5 (79.3) 40 | 49.1 (72.8) 3 | 48.2 (66.3) 2 | 53.8 (69.9) 24 | 59.9 (77.0) 57 | 62.8 (81.2) 59 | 60 (77.0) 90 | 67.6 (86.7) 57 |
| 2 | 飛行場南側 | 59.9 (76.7) 63 | 58.2 (76.1) 60 | 66.6 (85.3) 58 | 61.6 (79.7) 88 | 57.5 (74.5) 40 | 47 (65.7) 2 | 61.1 (77.7) 65 | 67.6 (88.1) 99 | 64.8 (82.8) 82 | 62.1 (81.3) 53 | 57 (74.3) 70 | 62.3 (75.7) 17 | 38 (51.7) 1 | 71.2 (88.2) 37 | 74 (92.7) 84 | 62.4 (78.0) 50 | 67.3 (83.2) 86 | 59.3 (78.1) 30 | 61.3 (78.8) 20 | 43.3 (62.1) 1 | 57.4 (74.9) 21 | 62.1 (80.0) 36 | 74.3 (94.4) 170 | 62.5 (80.8) 76 | 54.2 (70.0) 40 | 51.9 (70.8) 5 | 46.6 (65.1) 3 | 58.5 (76.8) 35 | 63.1 (81.3) 73 | 56.6 (74.2) 45 | 65.9 (84.5) 106 | 65.4 (84.2) 52 |
| 3 | 綾南小学校 | 51.1 (65.5) 32 | 50.5 (65.3) 27 | 58.3 (73.1) 40 | 54.2 (68.9) 54 | 49.6 (63.2) 21 | 28.5 (43.7) 1 | 54.6 (68.8) 32 | 57.3 (72.7) 57 | 56.5 (71.4) 62 | 51.8 (66.3) 28 | 50.2 (64.9) 28 | 51.3 (62.2) 4 | 30.9 (44.1) 1 | 61.2 (75.0) 28 | 65.6 (82.0) 49 | 51.4 (64.2) 21 | 57.1 (70.7) 60 | 49.9 (66.8) 17 | 53.9 (68.6) 21 | 34 (48.3) 1 | 45.9 (61.6) 13 | 50.7 (65.0) 23 | 64.3 (79.2) 74 | 53.3 (67.0) 51 | 46.7 (60.0) 11 | 45.9 (60.6) 5 | 38.7 (52.6) 2 | 46.7 (61.0) 19 | 53.5 (68.1) 33 | 49.3 (63.2) 21 | 56.7 (72.3) 72 | 56.2 (71.3) 29 |
| 4 | 天台小学校 | 51.1 (64.9) 41 | 50.9 (64.9) 37 | 52.3 (67.1) 29 | 55.1 (70.4) 64 | 52.2 (68.5) 37 | 30.8 (43.4) 1 | 52.1 (66.3) 42 | 54.8 (68.5) 61 | 51.6 (66.2) 49 | 51.3 (67.9) 31 | 52.9 (61.1) 60 | 47.8 (61.1) 13 | 35.4 (48.8) 1 | 49.5 (65.4) 23 | 51.5 (65.9) 47 | 46.3 (61.8) 25 | 58 (72.2) 56 | 46.6 (62.1) 13 | 53.3 (68.9) 19 | 42 (60.6) 1 | 47.9 (62.9) 17 | 37.2 (47.9) 2 | 51.1 (66.1) 53 | 53.6 (67.6) 56 | 48.9 (62.8) 29 | 35.4 (49.8) 1 | 31.3 (44.3) 1 | 46.4 (59.8) 17 | 49.1 (64.1) 19 | 46.9 (62.2) 17 | 54.5 (68.1) 51 | 51.2 (65.8) 30 |
| 5 | 引地台中学校 | 47.5 (61.7) 14 | 52.1 (64.7) 10 | 52.6 (67.3) 13 | 39.9 (54.8) 7 | 40.9 (56.1) 9 | 41 (54.6) 2 | 50.5 (66.0) 9 | 55.9 (71.9) 25 | 50.9 (64.0) 14 | 49.4 (63.6) 9 | 47.9 (61.7) 18 | 45.4 (64.9) 4 | 26.4 (43.3) 1 | 54.7 (69.4) 12 | 58 (73.3) 18 | 46.3 (60.2) 18 | 48.8 (64.9) 24 | 28 (46.3) 1 | 49.2 (59.3) 4 | 33.3 (49.8) 2 | 52.2 (62.3) 15 | 39.5 (54.5) 8 | 51.1 (66.4) 19 | 56.3 (69.7) 11 | 37.2 (51.9) 3 | 38.3 (54.5) 3 | --- | 30.3 (47.2) 0 | 38.6 (53.2) 2 | 44.5 (57.0) 3 | 46.9 (60.1) 8 | 50.1 (64.8) 10 |
| 6 | 座間防衛事務所 | 52.1 (66.2) 40 | 54.4 (67.9) 44 | 51.2 (66.2) 38 | 52.8 (67.4) 60 | 51.9 (66.5) 37 | 53.4 (64.1) 3 | 52.5 (66.4) 43 | 62.7 (78.8) 21 | 47.7 (62.7) 26 | 48.8 (64.2) 27 | 55.6 (69.9) 57 | 52.5 (67.2) 12 | 38.3 (52.1) 3 | 61.1 (75.9) 26 | 64.1 (79.3) 24 | 51.3 (65.5) 24 | 54.1 (68.7) 72 | 46.3 (60.8) 10 | 48.6 (62.9) 21 | 36.4 (50.8) 1 | 50.5 (65.0) 24 | 48.8 (61.7) 18 | 45 (58.5) 19 | 59.4 (72.4) 45 | 48.3 (62.2) 34 | 36.8 (51.8) 1 | 35.2 (48.4) 2 | 42.9 (55.5) 9 | 50.2 (64.9) 24 | 52.9 (66.1) 23 | 47.9 (62.2) 34 | 55.0 (69.9) 27 |
| 7 | 上鶴間小学校 | 48.2 (61.5) 18 | 53 (66.0) 26 | 48.3 (62.0) 15 | 49.8 (63.9) 22 | 52.4 (65.4) 7 | 47.7 (59.6) 3 | 50.8 (63.2) 14 | 56.4 (66.7) 8 | 39.5 (52.2) 5 | 48.6 (62.0) 13 | 53.6 (66.1) 24 | 46.4 (58.9) 9 | 32.8 (44.8) 1 | 52.6 (68.1) 14 | 60.3 (70.9) 9 | 49.1 (61.5) 17 | 49.6 (64.8) 18 | 38.7 (51.5) 4 | 42 (54.1) 3 | 33.7 (46.2) 0 | 46.4 (60.3) 10 | 40.9 (52.9) 7 | 33.9 (48.5) 2 | 52.7 (65.3) 11 | 44.3 (57.8) 10 | 31.8 (49.0) 3 | 36.1 (48.2) 2 | 37.4 (50.0) 4 | 44.6 (58.2) 9 | 52.5 (66.5) 20 | 41.7 (56.2) 9 | 50.6 (63.0) 10 |
| 8 | 西鶴間小学校 | 54.1 (68.8) 53 | 56.8 (71.3) 63 | 50.3 (64.3) 35 | 52 (67.4) 61 | 50.4 (65.2) 35 | 53.5 (64.0) 3 | 52.9 (73.4) 34 | 57.6 (85.6) 32 | 68.1 (87.9) 41 | 53.2 (68.6) 30 | 56.6 (71.6) 73 | 49.3 (64.8) 12 | 40.5 (54.4) 2 | 68.2 (84.7) 28 | 67.4 (82.3) 38 | 51.1 (65.6) 37 | 58.3 (72.3) 70 | 49.6 (64.6) 14 | 51.7 (66.4) 21 | 40.9 (55.6) 1 | 53.4 (67.5) 25 | 50.7 (64.5) 19 | 51 (65.8) 39 | 65 (80.3) 50 | 50.2 (65.2) 26 | 44 (57.4) 2 | 40.5 (55.3) 1 | 48.9 (63.7) 20 | 54.2 (68.8) 32 | 54 (65.4) 28 | 53.4 (68.5) 55 | 59.4 (75.5) 32 |
| 9 | 相模野小学校 | 40.4 (53.6) 8 | 30.8 (47.0) 1 | 38.4 (51.7) 4 | 45.6 (61.3) 14 | 44.6 (59.7) 8 | --- | 29.5 (45.6) 0 | 50.6 (62.8) 1 | 43.3 (59.8) 6 | 45.1 (63.2) 4 | 45.9 (60.1) 8 | 33 (45.5) 1 | 35 (50.6) 1 | 45.7 (61.0) 7 | 54.1 (64.9) 10 | 41.9 (58.2) 3 | 49.3 (64.5) 18 | 36.8 (52.9) 1 | 45.6 (60.5) 18 | --- | 40.6 (56.9) 4 | --- | 41.3 (56.2) 0 | 51.7 (64.4) 11 | 33.9 (49.0) 2 | 30.3 (45.6) 1 | 41.3 (60.1) 1 | 44.5 (65.5) 4 | 30.3 (46.1) 1 | 33.9 (49.7) 2 | 37.3 (53.6) 4 | 44.9 (59.3) 5 |
| 10 | 文ヶ岡小学校 | 53.9 (67.4) 74 | 52.5 (66.1) 47 | 52.9 (67.6) 40 | 42.3 (56.4) 8 | 36 (49.1) 3 | 45.3 (56.5) 1 | 51.7 (63.7) 22 | 60.2 (73.4) 23 | 47 (60.8) 12 | 55 (69.5) 36 | 53.4 (69.8) 45 | 41.9 (53.5) 4 | 37.2 (55.8) 1 | 58.4 (71.3) 10 | 62.3 (76.1) 30 | 58.5 (70.1) 24 | 55.4 (69.1) 39 | 43.9 (55.7) 10 | 39.7 (54.9) 2 | 36.7 (55.2) 1 | 57.3 (65.8) 20 | 45.6 (57.7) 14 | 57.6 (66.8) 34 | 61 (73.6) 19 | 40.8 (54.9) 5 | 46.3 (60.0) 1 | 34.1 (46.9) 2 | 42 (55.1) 6 | 48.7 (61.7) 24 | 55.7 (70.7) 69 | 51.2 (64.3) 21 | 54.6 (67.7) 21 |

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
南関東防衛局 企画部 住宅防音第1課
045-211-7113

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和4年3月

上段：Lden 中段：WECPNL 下段：騒音発生回数

| 測定点 No. | 測定場所 | 1日 (火) | 2日 (水) | 3日 (木) | 4日 (金) | 5日 (土) | 6日 (日) | 7日 (月) | 8日 (火) | 9日 (水) | 10日 (木) | 11日 (金) | 12日 (土) | 13日 (日) | 14日 (月) | 15日 (火) | 16日 (水) | 17日 (木) | 18日 (金) | 19日 (土) | 20日 (日) | 21日 (月) | 22日 (火) | 23日 (水) | 24日 (木) | 25日 (金) | 26日 (土) | 27日 (日) | 28日 (月) | 29日 (火) | 30日 (水) | 31日 (木) | 平均 | |
|---------|--------------|----------------------|----------------------|----------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|---------------------|----------------------|----------------------|-----------------------|----------------------|----------------------|---------------------|---------------------|----------------------|----------------------|----------------------|----------------------|----------------------|---------------------|
| 11 | 中村自治会館 | 54 (65.8) 40 | 50.8 (64.3) 36 | 54.8 (69.4) 32 | 48.4 (62.4) 20 | 43.4 (56.8) 7 | 40.2 (54.4) 1 | 53.3 (66.5) 34 | 60.2 (74.1) 85 | 58.4 (70.7) 51 | 53 (65.8) 32 | 50.7 (64.5) 36 | 49.6 (64.2) 9 | 35.6 (50.5) 3 | 54.8 (68.3) 25 | 58.9 (74.3) 42 | 50 (62.8) 23 | 51.7 (64.9) 29 | 51.7 (64.8) 18 | 39.5 (53.3) 9 | 31.1 (43.1) 1 | 53.7 (67.7) 11 | 52.2 (66.8) 12 | 61.1 (74.6) 110 | 55.8 (69.1) 33 | 45.9 (59.8) 18 | --- | --- | 51.9 (64.4) 14 | 52.6 (66.3) 29 | 48.3 (62.4) 23 | 57.7 (71.5) 26 | 54.0 (67.7) 26 | |
| 12 | 大庭中学校 | 44.6 (57.3) 10 | 44.3 (55.8) 8 | 61.3 (77.3) 18 | 45.3 (59.2) 13 | 42.2 (55.7) 7 | 37.6 (51.1) 2 | 47.2 (60.2) 11 | 54.6 (69.8) 19 | 52.7 (65.2) 23 | 50.2 (64.5) 12 | 41.9 (56.0) 5 | 38.1 (51.5) 2 | --- | 52.3 (65.7) 11 | 51.9 (64.6) 22 | 49.9 (61.2) 8 | 48.8 (62.5) 17 | 48.4 (62.6) 9 | 47.8 (60.3) 5 | 38.4 (53.8) 1 | 43.7 (57.2) 9 | 52 (65.2) 23 | 47.8 (61.3) 14 | 49.1 (62.1) 15 | 39.2 (52.2) 3 | 41.3 (56.0) 3 | 34.2 (47.5) 1 | 45 (59.2) 10 | 51.7 (65.3) 24 | 45.7 (60.3) 8 | 51.8 (64.8) 23 | 50.5 (65.2) 11 | |
| 13 | 立野台小学校 | 46.1 (60.3) 14 | 36.6 (50.7) 2 | 42.3 (56.6) 3 | 47.3 (61.9) 23 | 42.4 (56.8) 13 | --- | 37.4 (53.1) 0 | 34.1 (48.6) 4 | --- | 43.2 (57.4) 7 | 46.5 (61.9) 7 | 38.6 (50.9) 1 | 38.6 (51.7) 1 | 50.4 (66.2) 8 | 46.3 (56.7) 4 | 40.9 (56.7) 4 | 48.9 (62.6) 25 | 33.5 (47.6) 2 | 46.5 (60.0) 18 | --- | 43.3 (57.7) 0 | --- | --- | 46.7 (59.4) 16 | --- | 27.5 (45.2) 1 | 30.4 (43.4) 1 | 36.1 (47.6) 2 | 28.6 (44.9) 1 | 33.6 (47.1) 2 | 36.7 (52.0) 2 | 42.8 (57.2) 5 | |
| 14 | JAさがみ綾西支店 | 49.2 (60.6) 19 | 42.7 (57.8) 8 | 43.2 (58.4) 6 | 45.1 (58.4) 14 | 38.6 (52.8) 4 | --- | 46.6 (61.8) 7 | 48.1 (61.1) 23 | 45.3 (59.1) 19 | 46.9 (61.1) 17 | 43.7 (57.9) 14 | 35.6 (56.2) 3 | 39.6 (52.5) 1 | 48.6 (63.3) 13 | 35.3 (49.1) 3 | 52.2 (60.0) 24 | 44.6 (59.5) 10 | 45.6 (59.5) 11 | --- | --- | 42 (56.8) 0 | 37.4 (50.6) 9 | 41.3 (55.2) 2 | 47.6 (61.9) 8 | 40.2 (54.7) 3 | --- | --- | 38.9 (52.6) 3 | 39 (53.6) 4 | 33.4 (48.5) 3 | 49.1 (62.8) 27 | 44.7 (58.4) 9 | |
| 15 | 町田市健康福祉会館 | 44 (58.1) 5 | 53.2 (64.9) 22 | 47.5 (61.9) 10 | 50.3 (63.8) 15 | 36.1 (49.5) 2 | 41.7 (54.4) 1 | 47.7 (59.6) 11 | 46 (58.2) 1 | --- | 50.1 (68.7) 11 | 53 (66.4) 22 | 45.8 (58.0) 3 | --- | 46.3 (59.3) 13 | 51.3 (65.6) 4 | 47.5 (60.4) 15 | 47.5 (61.5) 12 | 41.8 (59.4) 2 | --- | --- | 51.2 (68.1) 0 | --- | --- | 41.3 (56.2) 2 | 46.3 (60.4) 7 | --- | --- | --- | --- | 50.4 (64.3) 0 | 30.5 (44.5) 17 | 46.7 (61.2) 6 | |
| 16 | 藤沢総合高校 | 44.9 (58.7) 11 | 50.1 (62.2) 12 | 55.3 (69.5) 27 | 48.7 (62.2) 28 | 45 (58.7) 11 | --- | 44.7 (58.3) 11 | 50.6 (64.0) 28 | 48.2 (62.1) 28 | 46.3 (61.3) 17 | 43.3 (56.7) 15 | 35.5 (48.1) 4 | 59.4 (71.4) 15 | 55.4 (71.1) 20 | 48.2 (59.9) 13 | 50.1 (63.9) 20 | 40.4 (53.6) 8 | 44.8 (57.9) 9 | --- | --- | 35.6 (48.3) 0 | 45.7 (58.9) 15 | 58 (67.5) 7 | 47.2 (61.0) 19 | 43.6 (57.0) 7 | 44.6 (58.3) 5 | --- | 40.9 (55.5) 10 | 46.4 (59.6) 18 | 48.1 (61.8) 15 | 48.4 (62.8) 26 | 50.3 (63.3) 13 | |
| 17 | 金井中学校 | 39.9 (52.4) 3 | 49.5 (61.5) 11 | 40.8 (54.6) 5 | 44.3 (57.3) 9 | --- | --- | 41.3 (54.9) 0 | --- | --- | 45.4 (58.9) 7 | 48.6 (63.0) 8 | 35.1 (47.2) 2 | --- | 40.3 (52.9) 5 | 41.2 (54.2) 3 | 44 (57.2) 11 | 39.2 (51.8) 4 | --- | 33 (44.6) 1 | --- | 41.3 (57.7) 0 | --- | 29.7 (43.8) 0 | 38.5 (51.8) 3 | 42.7 (56.8) 8 | 37.2 (51.8) 2 | --- | --- | --- | 46.2 (56.1) 0 | 33.8 (44.0) 5 | 41.2 (54.4) 1 | |
| 18 | 鶴川中学校 | --- | 43.8 (57.7) 0 | 42.2 (57.4) 5 | 41.2 (54.9) 4 | --- | --- | --- | --- | --- | 33.7 (47.0) 2 | --- | 27 (43.7) 1 | --- | 39.2 (52.9) 5 | 30.8 (49.4) 1 | 38.6 (51.6) 2 | 42.9 (57.2) 5 | --- | --- | --- | 33.6 (47.0) 0 | --- | 26.8 (44.1) 1 | 31.4 (43.2) 1 | --- | --- | --- | --- | --- | 36.4 (47.5) 0 | 38 (51.8) 4 | 32.9 (43.5) 1 | 35.5 (49.5) 1 |
| 19 | 大沼小学校 | 34.8 (48.4) 2 | --- | --- | --- | --- | --- | 41.6 (52.3) 0 | 51.6 (65.5) 1 | 42.6 (54.9) 8 | --- | 38.6 (53.1) 1 | 32.8 (44.0) 1 | --- | 49.3 (62.0) 2 | 54.9 (68.3) 6 | 43.2 (55.8) 3 | --- | 33.9 (46.7) 0 | 41.8 (57.5) 2 | --- | 39 (52.9) 0 | 45.5 (56.4) 7 | 29.8 (43.4) 1 | 51.5 (62.5) 3 | --- | --- | --- | 33.2 (47.0) 2 | 40.1 (53.8) 4 | 41.8 (53.9) 1 | 36.8 (49.9) 2 | 44.4 (57.3) 2 | |
| 20 | 国分コミュニティセンター | 41.7 (56.4) 5 | 32.6 (44.9) 1 | 39.8 (53.5) 1 | 39.5 (53.1) 6 | 37.6 (54.8) 2 | --- | 35.4 (50.8) 3 | 36.9 (54.0) 5 | 27.6 (45.5) 1 | --- | 37.7 (49.0) 3 | 39.2 (51.7) 2 | 40.1 (50.3) 1 | 41.3 (54.0) 4 | 38.1 (51.0) 2 | 31.6 (46.9) 1 | 33.1 (47.9) 1 | --- | --- | --- | --- | 40.9 (54.8) 0 | --- | 39.4 (52.0) 4 | 39.4 (53.2) 5 | --- | --- | --- | 31.7 (43.4) 1 | 30.5 (44.3) 1 | 29.1 (43.3) 1 | 34.3 (51.0) 1 | 36.4 (50.3) 2 |

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
南関東防衛局 企画部 住宅防音第1課
045-211-7113

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和4年3月

上段：Lden 中段：WECPNL 下段：騒音発生回数

| 測定点 No. | 測定場所 | 1日 (火) | 2日 (水) | 3日 (木) | 4日 (金) | 5日 (土) | 6日 (日) | 7日 (月) | 8日 (火) | 9日 (水) | 10日 (木) | 11日 (金) | 12日 (土) | 13日 (日) | 14日 (月) | 15日 (火) | 16日 (水) | 17日 (木) | 18日 (金) | 19日 (土) | 20日 (日) | 21日 (月) | 22日 (火) | 23日 (水) | 24日 (木) | 25日 (金) | 26日 (土) | 27日 (日) | 28日 (月) | 29日 (火) | 30日 (水) | 31日 (木) | 平均 |
|------------|--------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|--------|
| 21 | 御所見中学校 | 43.4 | 39 | 41.9 | 46 | 46 | --- | --- | 47.2 | 45.8 | 39.5 | 39.8 | 38.9 | --- | 45.1 | 48.2 | --- | 50 | 40.9 | --- | --- | 44 | 44.4 | 43.3 | 41.5 | 36.6 | --- | 33.3 | --- | 28.1 | --- | 47.4 | 42.9 |
| | | (52.4) | (52.4) | (56.4) | (60.7) | (61.6) | (---) | (---) | (59.2) | (60.9) | (55.1) | (55.6) | (51.4) | (---) | (56.8) | (63.9) | (---) | (63.2) | (56.8) | (---) | (---) | (57.1) | (59.3) | (57.9) | (55.8) | (49.2) | (---) | (44.3) | (---) | (45.1) | (---) | (62.1) | (57.1) |
| | | 2 | 4 | 4 | 11 | 8 | 0 | 0 | 15 | 9 | 2 | 5 | 2 | 0 | 5 | 6 | 0 | 12 | 6 | 0 | 0 | 3 | 2 | 7 | 6 | 2 | 0 | 1 | 0 | 1 | 0 | 9 | 4 |
| 22 | 湘南台小学校 | 41.1 | 45.1 | 49.4 | 36.9 | --- | --- | --- | 32.8 | --- | 36.4 | 36.2 | 44.7 | 35.3 | 37.2 | 40.5 | --- | 35.6 | --- | --- | --- | 35.3 | 46.5 | 48.9 | 33.1 | 30.7 | 35.9 | 30.2 | --- | --- | 38.8 | 27.2 | 40.4 |
| | | (51.7) | (57.0) | (63.9) | (48.3) | (---) | (---) | (---) | (48.1) | (---) | (46.2) | (47.9) | (58.8) | (48.8) | (50.4) | (53.7) | (---) | (48.9) | (---) | (---) | (---) | (48.0) | (60.4) | (57.5) | (46.1) | (43.1) | (48.5) | (43.7) | (---) | (---) | (51.6) | (45.5) | (53.3) |
| | | 2 | 1 | 4 | 3 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 5 | 1 | 4 | 1 | 0 | 3 | 0 | 0 | 0 | 2 | 1 | 1 | 1 | 1 | 2 | 1 | 0 | 0 | 4 | 1 | 1 |
| 23 | 小和田小学校 | 32.5 | 32.2 | 54.3 | 36.1 | --- | --- | 36.1 | 47.4 | 41 | 42.1 | 35.2 | --- | --- | 43.8 | 36.3 | 33.5 | 39.9 | 37.8 | 35 | 31.9 | 38.4 | 43.4 | 35.3 | 34.7 | 33.5 | 25.4 | --- | --- | 38.9 | 42.4 | 41.8 | 42.1 |
| | | (45.0) | (45.4) | (68.8) | (50.1) | (---) | (---) | (49.0) | (62.4) | (55.1) | (55.0) | (49.5) | (---) | (---) | (54.0) | (50.3) | (46.4) | (53.1) | (51.6) | (47.4) | (43.9) | (51.5) | (56.3) | (48.6) | (46.9) | (45.7) | (44.5) | (---) | (---) | (51.9) | (56.9) | (55.4) | (56.2) |
| | | 1 | 1 | 5 | 3 | 0 | 0 | 3 | 8 | 4 | 6 | 2 | 0 | 0 | 1 | 2 | 1 | 5 | 2 | 2 | 1 | 2 | 6 | 3 | 1 | 1 | 1 | 0 | 0 | 5 | 2 | 4 | 2 |

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
 南関東防衛局 企画部 住宅防音第1課
 045-211-7113