

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和4年11月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (火)	2日 (水)	3日 (木)	4日 (金)	5日 (土)	6日 (日)	7日 (月)	8日 (火)	9日 (水)	10日 (木)	11日 (金)	12日 (土)	13日 (日)	14日 (月)	15日 (火)	16日 (水)	17日 (木)	18日 (金)	19日 (土)	20日 (日)	21日 (月)	22日 (火)	23日 (水)	24日 (木)	25日 (金)	26日 (土)	27日 (日)	28日 (月)	29日 (火)	30日 (水)	平均
1	飛行場北側	63.6	59.6	59.2	54.9	57.6	71.5	75.9	62.1	63.2	74.8	79.3	70.5	65.5	60	56	64.7	66.1	62.3	57.8	51.3	65.3	63.7	57.2	58	55.7	54.1	44.6	58.5	64	63.1	68.6
		(80.8)	(77.7)	(77.2)	(72.0)	(74.4)	(92.5)	(95.0)	(79.9)	(81.0)	(95.4)	(98.9)	(92.2)	(81.5)	(76.7)	(72.5)	(81.9)	(80.8)	(77.3)	(75.4)	(68.8)	(83.8)	(80.5)	(71.5)	(76.5)	(74.3)	(73.0)	(60.7)	(75.7)	(83.1)	(81.1)	(88.2)
		98	56	48	30	20	17	53	86	106	91	53	17	19	29	48	79	43	41	17	4	40	57	16	32	23	11	2	38	88	109	46
2	飛行場南側	66	59	50.9	60.2	68	68	60.2	65.1	63.4	62	74.8	57.4	56.6	58.4	62.8	60.8	63.7	65.1	61.9	45.3	68	62.9	54.9	60	57.3	---	---	62.1	57.5	68.4	64.7
		(85.3)	(77.9)	(67.7)	(78.6)	(89.0)	(88.3)	(78.2)	(83.7)	(80.3)	(80.1)	(95.2)	(78.1)	(74.5)	(77.2)	(79.2)	(76.9)	(81.1)	(82.2)	(81.1)	(62.2)	(81.4)	(82.3)	(73.0)	(78.9)	(75.8)	(---)	(---)	(80.7)	(73.5)	(86.3)	(84.0)
		129	54	17	47	24	20	58	89	65	77	64	19	3	33	60	58	61	83	20	4	82	67	14	47	41	0	0	42	53	111	48
3	綾南小学校	54.9	49.2	43	48.8	62.2	54	50.2	56.4	57.4	53.1	63.5	49.5	51.5	50.1	52.3	51.6	53	54.6	51.4	34.1	55.9	53.4	46.4	50.7	48.3	---	---	50.7	50.3	58.6	54.8
		(69.2)	(63.2)	(56.5)	(63.7)	(81.4)	(69.9)	(64.9)	(71.4)	(71.8)	(66.9)	(80.1)	(64.9)	(63.6)	(64.4)	(66.2)	(64.8)	(68.3)	(69.3)	(66.3)	(45.3)	(68.6)	(68.5)	(62.7)	(65.3)	(---)	(---)	(64.8)	(63.5)	(72.8)	(71.0)	
		76	23	8	20	20	14	34	58	36	48	46	16	3	25	26	25	36	42	18	1	25	48	11	25	15	0	0	26	29	79	28
4	天台小学校	57.5	46.5	42.7	48.7	47.2	51.7	49.7	55.5	53.2	63.8	59.3	43.1	---	41.4	47.6	51.6	46.1	48.2	50.1	34.7	52.9	51	---	48	47.8	43.3	31.1	50.9	50.4	56.4	53.3
		(73.6)	(60.7)	(57.2)	(61.2)	(64.7)	(66.7)	(65.1)	(70.4)	(67.6)	(78.4)	(70.1)	(56.2)	(---)	(55.1)	(61.5)	(64.7)	(61.0)	(62.3)	(65.8)	(46.8)	(66.3)	(65.8)	(---)	(61.6)	(62.4)	(59.3)	(49.5)	(65.8)	(66.5)	(72.2)	(67.8)
		54	22	6	12	6	12	17	66	39	64	28	5	0	4	21	30	13	23	16	2	28	42	0	23	17	2	1	22	25	65	22
5	引地台中学校	46.2	36.7	49.5	45.3	43.8	56.7	61.7	47.2	42.4	54.8	61.3	52	53.5	43.4	47.8	48.4	44.1	48.5	32.8	---	44.2	43.8	33.7	51.2	31.5	---	---	37.8	43.6	47.2	52
		(60.0)	(50.2)	(62.3)	(59.5)	(56.6)	(68.5)	(80.4)	(59.6)	(56.0)	(75.2)	(75.0)	(65.9)	(63.4)	(55.9)	(60.4)	(64.9)	(58.5)	(48.0)	(48.0)	(---)	(59.6)	(58.2)	(46.6)	(62.4)	(46.8)	(---)	(---)	(51.8)	(56.6)	(60.7)	(68.4)
		11	4	27	7	6	2	17	13	5	27	13	6	19	4	9	14	3	9	2	0	4	7	2	13	1	0	0	6	15	8	9
6	座間防衛事務所	52.8	51.2	47.2	46.6	49.4	58.7	64	51	53.3	62	66.9	58.9	56.8	51.1	48.2	56	57.1	51.8	47.3	36.9	50.7	51.1	48.5	50.2	44.1	46.3	37.4	49.8	52.8	52.4	56.7
		(67.0)	(65.4)	(60.6)	(60.5)	(63.9)	(71.5)	(78.5)	(65.4)	(67.6)	(77.1)	(78.8)	(74.6)	(70.3)	(64.8)	(61.8)	(68.5)	(68.9)	(65.6)	(61.8)	(50.3)	(64.9)	(63.6)	(60.4)	(65.4)	(57.6)	(62.1)	(51.0)	(64.0)	(67.5)	(66.4)	(70.3)
		53	39	16	16	11	11	25	35	35	67	31	16	17	12	24	37	20	24	15	3	22	32	11	17	11	7	2	22	52	38	24
7	上鶴間小学校	46.7	47.5	48	39.9	44.2	52.3	59.7	45.4	48.9	57.1	64.7	54.6	53.3	46.8	42	49.9	51	42.4	42.8	---	48.7	46.4	44.1	46.9	43.8	42	34.5	46.6	53.7	46	53.2
		(60.6)	(61.1)	(60.3)	(52.3)	(57.3)	(65.8)	(68.8)	(59.7)	(63.3)	(72.7)	(79.7)	(69.0)	(66.1)	(60.0)	(55.3)	(63.8)	(62.5)	(58.0)	(56.4)	(---)	(60.8)	(59.0)	(54.8)	(61.8)	(57.6)	(55.9)	(49.2)	(60.7)	(67.0)	(59.6)	(67.3)
		12	21	13	6	6	8	10	9	12	27	19	11	13	7	6	18	11	4	6	0	6	10	2	9	7	4	2	11	33	12	11
8	西鶴間小学校	56.9	53.2	50.7	50.4	53.1	67.9	71.2	55.7	55.8	65.5	75.1	66.5	57.9	54.4	51.3	58.5	59.9	55.8	52.5	46.4	56.7	57.9	51.2	47.7	48.6	47.2	39.1	53.3	50.3	56.5	63.5
		(71.9)	(67.3)	(66.7)	(65.4)	(67.1)	(86.6)	(89.0)	(70.8)	(71.3)	(84.2)	(92.2)	(86.7)	(70.5)	(70.4)	(65.7)	(69.0)	(72.5)	(69.0)	(68.2)	(61.4)	(72.2)	(72.0)	(64.0)	(61.9)	(63.3)	(61.4)	(52.3)	(67.9)	(64.0)	(71.8)	(81.1)
		66	39	13	20	13	14	29	53	42	62	37	17	16	17	25	30	35	33	16	2	27	49	15	18	18	6	1	29	38	54	28
9	相模野小学校	47.9	31.9	30	34.8	44.4	48.5	52.3	36.1	41.8	56.4	54.8	47.6	35	33.9	39.9	42	34.8	36.7	44.6	28.7	38.6	42.4	---	---	41.5	44	---	40.7	47.7	46.8	46.7
		(64.4)	(48.6)	(45.2)	(47.8)	(60.0)	(61.7)	(63.7)	(49.4)	(58.9)	(72.4)	(66.0)	(59.1)	(49.7)	(45.0)	(54.8)	(58.4)	(47.6)	(53.1)	(61.5)	(43.2)	(51.9)	(56.2)	(---)	(---)	(58.4)	(60.4)	(---)	(56.2)	(63.4)	(60.6)	(61.2)
		9	1	1	2	9	1	4	3	4	14	4	2	1	1	2	5	1	2	3	1	2	4	0	0	1	2	0	2	14	6	3
10	文ヶ岡小学校	47.6	46.5	48	45.5	42.6	61.3	64.1	49.6	51.2	54.6	65	58.2	49.6	47.5	45.8	52.6	53	48.3	43.3	36.7	47.3	48.9	47.3	44	38.9	32.9	---	44.4	49.2	52	55
		(59.9)	(58.5)	(61.8)	(60.3)	(56.8)	(75.2)	(77.3)	(64.0)	(65.0)	(70.5)	(78.2)	(75.1)	(61.5)	(61.1)	(58.4)	(66.0)	(63.4)	(63.4)	(56.7)	(50.0)	(61.1)	(61.3)	(58.4)	(56.6)	(51.8)	(46.3)	(---)	(58.5)	(63.7)	(64.3)	(68.8)
		29	19	14	13	10	7	15	22	35	23	23	11	7	13	16	26	10	15	10	2	13	15	8	8	5	1	0	12	25	36	15

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
南関東防衛局 企画部 住宅防音第1課
045-211-7113

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和4年11月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (火)	2日 (水)	3日 (木)	4日 (金)	5日 (土)	6日 (日)	7日 (月)	8日 (火)	9日 (水)	10日 (木)	11日 (金)	12日 (土)	13日 (日)	14日 (月)	15日 (火)	16日 (水)	17日 (木)	18日 (金)	19日 (土)	20日 (日)	21日 (月)	22日 (火)	23日 (水)	24日 (木)	25日 (金)	26日 (土)	27日 (日)	28日 (月)	29日 (火)	30日 (水)	平均
11	中村自治会館	57.3 (71.2) 55	53.6 (67.1) 32	45.5 (58.5) 10	54.5 (67.2) 23	50.7 (66.8) 14	53.2 (64.7) 7	58.8 (69.5) 23	52.8 (65.4) 27	51.9 (65.2) 32	48.9 (62.0) 15	58.4 (72.9) 35	41.8 (54.5) 2	48.8 (62.9) 1	49 (62.7) 8	55 (69.3) 40	54.3 (67.2) 31	53.5 (67.3) 45	54.3 (68.7) 50	47.9 (61.7) 5	44.7 (57.6) 3	55.3 (68.8) 59	54 (67.5) 21	36.9 (50.0) 1	53.2 (66.9) 45	53.4 (66.9) 57	---	---	41.8 (52.9) 3	43.8 (58.1) 10	53.8 (67.0) 27	53 (66.4) 23
12	大庭中学校	48.3 (61.4) 19	47 (60.4) 14	34.6 (48.7) 3	47.6 (61.2) 14	56.5 (71.5) 10	52.6 (68.4) 9	49.3 (62.8) 19	49.2 (63.8) 14	45.4 (60.6) 6	47.8 (61.7) 13	54 (68.8) 22	45.6 (59.5) 9	28.3 (43.4) 1	48.7 (61.1) 11	51.2 (63.1) 11	47.5 (59.2) 8	53.6 (65.8) 17	55.3 (68.0) 24	52.3 (65.4) 8	37.8 (51.1) 1	53 (64.0) 9	49.9 (63.9) 16	42.4 (56.0) 7	46.6 (59.4) 6	42.8 (56.6) 5	38.2 (52.4) 1	---	49.5 (63.9) 0	40.5 (54.2) 13	53.9 (66.9) 4	50.1 (63.8) 33
13	立野台小学校	46.2 (61.0) 21	42.8 (57.6) 5	36.5 (51.7) 1	39 (48.2) 1	42.5 (56.6) 6	40.2 (55.6) 3	43.8 (60.8) 4	38.5 (51.3) 5	47.1 (64.1) 14	56.5 (72.0) 21	55.9 (73.4) 3	37 (49.9) 3	---	34.7 (47.5) 2	34 (45.3) 1	45.6 (61.1) 14	---	32 (45.7) 1	40.8 (54.3) 2	---	37.9 (52.2) 4	41.7 (55.7) 9	---	31.2 (45.6) 1	29.3 (43.1) 1	---	---	41.6 (56.6) 4	45.8 (61.1) 15	42.9 (54.5) 4	46 (62.1) 5
14	JAさがみ綾西支店	51.5 (65.8) 37	44.1 (56.8) 8	37.7 (50.1) 4	42.7 (56.3) 7	50.1 (65.5) 9	46.7 (60.2) 8	54.6 (66.8) 6	51.3 (65.9) 29	50.8 (65.6) 24	55.9 (69.2) 18	62 (77.7) 14	40 (51.5) 5	---	41.4 (56.1) 4	42.3 (56.2) 8	44.2 (58.5) 11	41.2 (56.4) 7	42.7 (55.5) 7	46.8 (61.5) 10	41.2 (56.5) 2	44.2 (56.8) 9	45.4 (59.1) 20	---	40.9 (53.6) 6	43.4 (57.9) 10	---	---	43.3 (56.4) 10	43.8 (59.1) 9	50.8 (65.2) 25	50.4 (65.2) 10
15	町田市健康福祉会館	30.1 (43.7) 1	47.3 (60.5) 10	46.4 (58.8) 11	30.4 (44.4) 1	34.5 (44.2) 1	44.3 (56.0) 1	50.8 (60.7) 5	43.5 (57.7) 4	45.6 (59.4) 9	56.6 (72.2) 18	54.9 (66.1) 5	43.7 (55.6) 2	49.4 (63.3) 10	---	33.6 (46.3) 1	44.7 (57.1) 7	40.2 (50.8) 2	36.6 (48.0) 2	36.9 (49.8) 2	---	41.2 (52.8) 0	36.4 (44.4) 1	---	43.5 (57.3) 5	43.3 (45.9) 4	34.5 (45.9) 1	27.5 (34.9) 1	---	53.7 (67.9) 0	50.7 (62.8) 26	47.4 (61.1) 4
16	藤沢総合高校	46 (59.3) 30	41.4 (53.5) 6	42.7 (57.0) 5	39.2 (52.7) 5	49.1 (67.5) 5	47.3 (63.0) 5	44.7 (55.9) 8	45.2 (58.5) 18	44.7 (58.5) 9	48.8 (62.9) 28	51.2 (64.8) 8	37 (50.9) 3	50.1 (61.8) 2	39.8 (53.1) 6	45.6 (57.9) 12	46.7 (57.6) 12	41.7 (55.6) 3	46.3 (60.3) 10	43.7 (57.0) 7	30.7 (47.7) 1	47 (57.7) 4	43.3 (56.6) 10	---	41.8 (53.3) 5	41.6 (55.2) 6	---	---	44.7 (56.8) 13	47.8 (61.1) 22	48.8 (61.7) 26	45.5 (59.4) 9
17	金井中学校	35.4 (44.8) 1	39.6 (52.4) 5	44.7 (56.8) 6	---	---	37.1 (47.9) 0	42.3 (52.0) 2	42.5 (56.6) 3	40.8 (55.0) 5	46 (59.4) 3	46.2 (55.4) 9	49.1 (60.1) 3	47.5 (63.0) 3	43.7 (59.1) 8	---	45.8 (57.4) 0	34.3 (43.7) 1	34.1 (46.9) 1	---	---	38.7 (48.3) 0	---	39.4 (50.0) 1	42.8 (56.8) 6	34.7 (46.2) 1	---	32.1 (43.6) 0	37 (48.1) 2	47.8 (59.9) 13	45.5 (57.9) 2	42.4 (55.1) 3
18	鶴川中学校	---	39.7 (49.3) 0	40.1 (51.7) 3	---	34 (43.9) 1	34.6 (45.1) 1	41.5 (53.4) 1	34.5 (48.5) 1	42.3 (55.4) 4	42.4 (55.7) 4	51.9 (63.9) 5	---	37.1 (48.3) 0	34.5 (46.1) 1	---	36.5 (48.1) 0	---	39.4 (55.6) 3	35.6 (48.9) 2	---	41.6 (52.6) 0	---	---	---	40.3 (56.5) 2	35.6 (46.0) 1	---	---	46.2 (58.7) 0	---	40.4 (52.8) 0
19	大沼小学校	43.8 (57.0) 13	---	42.6 (55.6) 5	38 (51.6) 4	40.9 (52.8) 5	54.3 (70.7) 7	55.6 (66.3) 7	45.5 (57.3) 3	27.9 (43.1) 1	39.5 (57.8) 3	60.3 (72.5) 9	51.5 (64.7) 3	---	44.2 (59.3) 9	38.3 (52.3) 3	43.3 (55.0) 3	47.6 (60.5) 6	40.8 (53.4) 4	41.3 (54.1) 6	37.7 (51.2) 2	46.6 (57.5) 5	45.3 (57.2) 5	40.6 (52.7) 3	41.6 (53.5) 1	33.6 (47.1) 1	---	---	45.2 (56.1) 6	38.7 (56.8) 1	43.3 (56.8) 7	48.8 (61.8) 4
20	国分コミュニティセンター	41.1 (54.3) 7	40.9 (60.7) 3	35.6 (47.4) 2	34.2 (46.2) 1	43.7 (59.5) 8	39 (50.5) 2	39.6 (50.2) 1	39.6 (53.4) 5	42.6 (58.0) 4	51.5 (69.2) 12	56.8 (75.8) 3	37.2 (49.9) 3	31.7 (44.5) 1	33.8 (43.2) 1	---	38 (51.9) 0	---	40.6 (54.0) 5	31 (43.5) 1	---	33.8 (49.8) 0	32.5 (46.2) 2	---	---	29.9 (47.3) 1	---	25.9 (43.8) 1	35.6 (46.6) 2	37.3 (51.8) 5	41 (55.7) 3	44.1 (62.3) 3

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
南関東防衛局 企画部 住宅防音第1課
045-211-7113

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和4年11月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (火)	2日 (水)	3日 (木)	4日 (金)	5日 (土)	6日 (日)	7日 (月)	8日 (火)	9日 (水)	10日 (木)	11日 (金)	12日 (土)	13日 (日)	14日 (月)	15日 (火)	16日 (水)	17日 (木)	18日 (金)	19日 (土)	20日 (日)	21日 (月)	22日 (火)	23日 (水)	24日 (木)	25日 (金)	26日 (土)	27日 (日)	28日 (月)	29日 (火)	30日 (水)	平均
21	御所見中学校	50.3 (64.6) 30	28.8 (43.0) 1	33.6 (49.7) 1	40.3 (55.4) 3	45.7 (60.4) 9	44.8 (58.5) 3	41.8 (56.3) 2	52.6 (66.7) 26	46.5 (60.3) 11	45.5 (59.7) 11	49.9 (64.8) 9	44.6 (62.5) 2	---	33.8 (45.5) 1	39.1 (53.2) 3	47.1 (61.7) 10	38.8 (53.5) 3	29 (43.7) 1	45.7 (60.3) 8	---	36.4 (50.9) 3	45.9 (59.2) 13	---	40.3 (51.9) 3	41.4 (55.3) 5	---	---	40 (51.6) 4	35.9 (48.0) 1	51.2 (64.4) 19	44.8 (59.1) 6
22	湘南台小学校	---	---	36.8 (51.4) 2	37.5 (51.1) 1	39.7 (50.9) 1	38.7 (55.9) 3	33.6 (44.0) 1	---	44.1 (57.4) 0	37.7 (51.7) 3	42.6 (55.9) 3	---	---	31.4 (43.1) 1	---	24.6 (43.4) 1	---	32.6 (47.0) 1	32 (45.6) 1	---	---	---	---	---	31.4 (43.3) 1	---	---	---	36.6 (46.7) 2	42.7 (55.7) 2	35.6 (49.1) 1
23	小和田小学校	36.8 (49.3) 1	34.5 (48.1) 2	36.3 (49.6) 2	33.3 (43.8) 1	48.9 (66.2) 3	46.5 (60.7) 4	33.7 (47.6) 1	28.5 (43.4) 1	34.3 (47.0) 2	38.7 (50.6) 3	46.4 (61.8) 7	30.4 (44.5) 1	---	41 (54.7) 3	35.6 (50.2) 2	39.6 (49.7) 1	38.2 (50.4) 2	45.1 (59.7) 5	39.7 (50.0) 2	---	29.5 (43.1) 1	38.2 (51.1) 4	---	31 (43.6) 1	---	---	---	31.2 (43.0) 1	37.6 (49.7) 3	41.8 (54.3) 4	40 (55.1) 2

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
南関東防衛局 企画部 住宅防音第1課
045-211-7113