

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和5年10月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (日)	2日 (月)	3日 (火)	4日 (水)	5日 (木)	6日 (金)	7日 (土)	8日 (日)	9日 (月)	10日 (火)	11日 (水)	12日 (木)	13日 (金)	14日 (土)	15日 (日)	16日 (月)	17日 (火)	18日 (水)	19日 (木)	20日 (金)	21日 (土)	22日 (日)	23日 (月)	24日 (火)	25日 (水)	26日 (木)	27日 (金)	28日 (土)	29日 (日)	30日 (月)	31日 (火)	平均	
1	行政財産内 (大和市上草柳)	70.6 (90.3)	65.1 (84.6)	61.6 (80.7)	57.9 (75.3)	65.8 (83.0)	72.0 (91.8)	70.1 (88.9)	71.3 (89.3)	65.3 (83.1)	69.8 (88.5)	58.8 (75.1)	60.3 (77.6)	60.8 (78.7)	55.8 (74.6)	54.0 (71.1)	59.7 (79.4)	59.7 (78.2)	60.4 (78.9)	63.5 (82.1)	57.2 (76.6)	60.1 (77.4)	48.9 (66.0)	63.2 (82.4)	59.4 (78.5)	56.6 (75.4)	60.3 (79.3)	61.2 (80.5)	54.8 (72.6)	52.9 (72.1)	58.4 (75.9)	62.5 (81.9)	64.7 (83.6)	
		2	43	79	33	38	51	10	6	4	55	55	59	59	12	4	44	59	65	72	32	14	2	62	50	45	73	38	5	3	25	75	38	
2	行政財産内 (大和市福田)	67.5 (88.3)	74.0 (90.7)	55.7 (72.3)	61.2 (79.9)	63.0 (79.5)	58.3 (75.4)	63.0 (83.4)	71.3 (95.4)	68.2 (93.8)	57.5 (75.0)	62.4 (81.1)	62.1 (81.6)	64.8 (83.3)	54.8 (73.1)	55.9 (74.2)	54.5 (72.1)	60.7 (77.0)	59.0 (76.0)	57.6 (74.4)	52.3 (68.0)	55.0 (73.3)	---	---	57.8 (75.2)	58.2 (76.6)	60.0 (78.1)	61.1 (77.4)	57.0 (75.5)	55.1 (73.2)	51.4 (69.8)	56.7 (72.5)	57.1 (74.9)	63.8 (84.7)
		5	40	46	39	82	39	15	8	7	67	85	79	95	7	4	24	48	47	46	18	9	0	47	46	63	71	27	14	3	22	50	37	
3	綾南小学校 (綾瀬市上土棚中)	43.0 (57.6)	65.5 (74.8)	47.1 (61.4)	52.2 (67.8)	53.7 (67.6)	51.9 (66.8)	58.4 (76.5)	57.0 (76.4)	50.6 (70.7)	48.5 (63.9)	52.4 (67.7)	52.0 (67.2)	56.0 (70.6)	41.9 (54.9)	43.9 (57.7)	47.4 (62.4)	50.6 (66.3)	51.9 (67.5)	51.7 (65.6)	43.6 (55.8)	42.5 (56.5)	---	---	50.9 (65.1)	50.8 (66.4)	49.1 (62.8)	51.2 (65.7)	49.4 (64.0)	42.5 (56.1)	42.7 (57.4)	47.4 (59.9)	53.9 (68.3)	
		5	25	19	28	34	33	16	8	6	18	41	46	50	6	2	21	18	26	28	8	7	0	29	19	23	24	19	5	3	6	31	20	
4	天台小学校 (綾瀬市寺尾台)	35.5 (45.7)	52.9 (65.7)	50.6 (65.1)	51.3 (67.4)	49.4 (63.9)	52.3 (67.6)	40.6 (53.0)	38.5 (49.3)	---	49.2 (62.9)	51.5 (66.5)	53.3 (68.3)	57.7 (73.3)	37.4 (47.2)	37.3 (51.3)	48.1 (62.5)	47.1 (61.6)	50.4 (64.6)	49.7 (64.9)	42.5 (57.2)	40.2 (53.4)	---	---	52.6 (67.8)	48.3 (62.0)	46.8 (61.3)	48.6 (63.0)	48.1 (62.6)	---	---	41.9 (56.1)	51.6 (65.4)	49.4 (64.3)
		1	17	41	20	31	29	4	2	0	24	41	39	61	1	15	16	35	29	7	2	0	38	23	11	26	15	0	0	5	29	18		
5	引地台中学校 (大和市柳橋)	49.8 (65.3)	59.1 (67.2)	41.1 (55.1)	46.0 (57.0)	51.2 (70.1)	50.2 (63.8)	50.9 (64.8)	54.5 (67.6)	51.6 (70.4)	53.4 (66.6)	43.4 (57.3)	44.2 (57.5)	44.2 (59.2)	37.2 (53.0)	50.3 (60.9)	46.7 (59.8)	45.9 (62.5)	41.2 (54.1)	43.8 (56.9)	37.9 (52.0)	39.2 (57.0)	---	---	36.2 (49.3)	42.2 (55.9)	43.7 (55.7)	41.0 (55.4)	40.0 (51.4)	44.9 (57.4)	39.8 (52.1)	43.6 (56.5)	48.9 (62.6)	
		2	9	5	8	2	10	4	3	3	8	10	7	10	4	1	7	9	4	15	5	3	0	2	5	8	6	5	9	0	3	11	6	
6	座間防衛事務所 (大和市鶴間)	55.4 (68.6)	49.9 (64.0)	50.1 (65.2)	46.3 (60.5)	55.4 (67.2)	57.8 (72.1)	55.8 (68.3)	58.5 (69.9)	50.0 (63.9)	56.9 (70.5)	49.6 (62.5)	51.9 (66.2)	50.6 (65.3)	47.0 (61.3)	46.5 (59.8)	48.9 (63.3)	47.6 (61.9)	50.0 (63.5)	51.4 (65.6)	46.1 (61.8)	49.4 (63.1)	42.0 (55.1)	50.5 (65.0)	47.7 (62.5)	47.0 (61.9)	49.0 (63.5)	51.4 (65.8)	46.9 (60.7)	43.1 (57.2)	48.6 (62.3)	50.6 (65.1)	52.0 (65.5)	
		1	17	37	15	8	36	7	4	4	39	23	37	29	12	3	29	20	40	47	13	12	3	38	20	14	37	32	4	2	18	37	21	
7	上鶴間小学校 (相模原市上鶴間)	52.3 (65.3)	49.3 (63.5)	45.5 (60.3)	44.6 (58.3)	51.5 (66.1)	53.4 (66.3)	52.3 (65.7)	55.0 (65.8)	46.1 (56.8)	53.9 (67.7)	43.3 (55.2)	41.0 (54.8)	44.4 (57.7)	44.5 (57.9)	41.2 (53.9)	46.4 (59.9)	42.8 (55.5)	50.6 (63.0)	51.0 (63.9)	42.2 (53.6)	47.4 (61.3)	40.8 (53.5)	48.7 (62.9)	45.9 (60.1)	43.8 (56.2)	45.7 (59.3)	48.3 (62.1)	40.0 (53.0)	42.1 (55.7)	47.7 (60.2)	48.8 (63.4)	62.0 (62.0)	
		1	8	10	7	1	17	7	5	3	19	7	7	9	9	3	12	10	21	25	5	11	2	17	12	9	15	15	2	2	11	22	10	
8	西鶴間小学校 (大和市西鶴間)	64.7 (80.5)	57.6 (73.8)	52.0 (67.1)	52.7 (68.1)	62.7 (79.7)	59.3 (72.2)	65.1 (80.5)	67.3 (83.6)	60.7 (76.6)	65.9 (81.4)	53.5 (67.4)	55.1 (69.5)	55.3 (71.0)	50.6 (65.3)	49.6 (68.3)	50.9 (65.2)	51.9 (67.1)	53.0 (67.1)	53.0 (67.6)	44.2 (57.9)	56.2 (70.1)	44.2 (58.1)	52.9 (67.9)	50.4 (65.7)	51.0 (66.8)	52.7 (67.9)	51.6 (66.0)	49.4 (64.5)	44.2 (59.2)	51.8 (67.0)	52.8 (68.2)	58.8 (74.6)	
		1	28	36	26	16	37	7	6	4	34	34	48	42	11	4	27	22	44	46	14	12	3	44	29	17	41	31	4	2	17	42	24	
9	相模野小学校 (座間市広野台)	43.9 (53.7)	---	44.0 (58.9)	39.7 (54.7)	45.5 (55.2)	57.1 (72.2)	43.6 (57.1)	49.6 (60.1)	41.6 (53.1)	45.1 (57.5)	38.0 (53.0)	45.6 (61.0)	43.8 (57.9)	43.9 (56.4)	---	32.3 (46.3)	39.2 (53.6)	40.3 (54.3)	44.4 (58.4)	37.4 (52.9)	---	---	43.0 (58.1)	---	---	34.0 (47.9)	44.6 (60.2)	---	---	---	31.2 (44.2)	45.0 (59.3)	
		1	0	11	1	1	7	1	2	1	4	3	12	3	2	0	2	6	5	10	4	0	0	7	0	0	2	6	0	0	0	1	3	
10	文ヶ岡小学校 (大和市桜森)	55.6 (69.0)	52.6 (63.5)	49.3 (63.2)	46.3 (60.9)	58.7 (73.5)	51.5 (62.4)	54.7 (69.0)	57.7 (70.0)	51.4 (64.3)	54.7 (67.4)	47.8 (62.0)	48.4 (61.2)	44.2 (57.2)	35.5 (48.4)	49.1 (59.0)	42.5 (54.6)	48.6 (61.7)	44.0 (56.7)	48.3 (60.2)	40.8 (54.9)	45.3 (57.9)	36.4 (47.8)	45.9 (58.2)	47.6 (60.9)	50.1 (63.6)	48.9 (61.4)	38.4 (50.7)	40.7 (52.6)	35.7 (47.9)	41.7 (54.5)	50.3 (62.5)	50.9 (64.1)	
		2	11	27	21	11	11	10	5	4	14	25	27	13	3	4	12	23	11	17	4	6	2	12	18	22	29	3	4	2	8	15	12	

※数値は速報値です。後日、修正されることがありますので、データ利用の際にはご注意ください。

お問い合わせ先
南関東防衛局 企画部 住宅防音第1課
045-211-7113

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和5年10月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (日)	2日 (月)	3日 (火)	4日 (水)	5日 (木)	6日 (金)	7日 (土)	8日 (日)	9日 (月)	10日 (火)	11日 (水)	12日 (木)	13日 (金)	14日 (土)	15日 (日)	16日 (月)	17日 (火)	18日 (水)	19日 (木)	20日 (金)	21日 (土)	22日 (日)	23日 (月)	24日 (火)	25日 (水)	26日 (木)	27日 (金)	28日 (土)	29日 (日)	30日 (月)	31日 (火)	平均	
11	中村自治会館 (綾瀬市深谷中)	43.4 (58.9) 1	59.5 (69.2) 17	48.1 (62.2) 14	46.0 (59.6) 6	57.0 (70.5) 56	47.3 (61.1) 14	50.8 (64.6) 5	51.7 (64.3) 3	48.6 (61.0) 3	56.2 (70.1) 57	54.5 (67.5) 38	56.0 (68.3) 39	54.4 (67.9) 54	---	41.8 (55.4) 1	37.9 (51.8) 4	53.7 (66.5) 32	51.1 (64.5) 27	45.7 (59.0) 13	32.9 (47.3) 2	---	27.0 (43.6) 1	53.1 (66.9) 38	53.5 (65.7) 29	55.3 (69.2) 47	51.6 (65.5) 39	47.6 (61.3) 18	---	---	51.1 (64.8) 33	50.9 (64.4) 19	52.0 (64.9) 20	
12	大庭中学校 (藤沢市大庭)	43.6 (56.1) 2	54.5 (64.0) 15	42.5 (57.3) 5	45.0 (59.1) 9	49.4 (61.8) 13	41.6 (53.8) 4	54.0 (71.2) 9	53.6 (71.3) 8	49.3 (64.1) 5	44.8 (57.8) 8	48.5 (62.1) 12	48.6 (62.6) 12	44.3 (58.4) 6	41.2 (53.4) 6	45.7 (59.3) 2	44.3 (58.3) 11	41.4 (55.5) 4	43.8 (56.9) 4	45.6 (59.1) 12	34.1 (46.8) 2	44.5 (57.8) 6	---	45.6 (58.0) 9	47.7 (63.3) 10	48.1 (61.6) 16	49.7 (62.4) 12	43.4 (57.3) 8	42.2 (54.9) 3	41.8 (55.5) 3	47.2 (58.9) 6	43.3 (57.1) 6	47.6 (62.4) 8	
13	立野台小学校 (座間市立野台)	---	38.5 (51.9) 1	39.2 (53.6) 8	45.6 (57.5) 5	42.5 (56.2) 5	61.5 (78.1) 20	---	41.9 (53.4) 3	33.3 (47.1) 1	38.2 (51.2) 4	42.8 (57.3) 7	44.6 (58.6) 17	44.4 (60.0) 8	42.4 (52.7) 2	39.4 (55.1) 2	38.6 (52.8) 5	42.1 (55.1) 8	44.8 (58.9) 14	46.2 (60.5) 17	38.6 (53.2) 3	36.6 (49.5) 1	---	45.2 (59.3) 17	41.6 (53.7) 3	38.3 (50.8) 1	36.9 (50.1) 3	45.6 (61.0) 10	---	---	---	38.7 (52.2) 2	47.7 (63.8) 5	
14	JAさがみ綾西支店 (綾瀬市綾西)	---	59.5 (76.4) 7	38.8 (54.9) 8	47.5 (60.3) 9	43.1 (57.7) 5	45.0 (59.8) 10	50.9 (66.6) 6	---	---	38.5 (51.3) 5	44.5 (57.9) 11	47.3 (61.6) 6	50.7 (65.7) 23	---	---	36.5 (50.4) 2	45.1 (57.7) 9	44.6 (58.2) 18	44.3 (58.8) 16	---	---	---	44.9 (59.3) 8	40.5 (55.2) 4	40.8 (54.9) 7	43.7 (61.3) 7	41.9 (55.3) 6	---	---	35.5 (48.2) 3	42.3 (56.6) 4	46.9 (63.1) 6	
15	町田市健康福祉会館 (町田市原町田)	41.7 (58.6) 1	33.5 (46.8) 1	42.9 (57.4) 3	39.3 (48.5) 1	42.2 (55.5) 1	46.6 (60.0) 13	42.2 (53.2) 2	44.2 (55.2) 2	34.3 (45.5) 1	43.5 (56.6) 5	31.7 (43.6) 1	34.2 (46.3) 2	---	37.4 (49.7) 1	---	44.7 (59.1) 4	30.8 (45.6) 1	49.7 (63.1) 11	49.9 (61.9) 18	42.8 (55.9) 6	33.5 (45.9) 1	40.2 (55.0) 1	45.8 (59.8) 7	44.6 (60.4) 7	---	45.2 (60.3) 8	47.2 (61.9) 10	38.1 (56.3) 1	---	46.9 (59.9) 6	51.3 (65.4) 15	44.0 (57.8) 4	
16	藤沢総合高校 (藤沢市長後)	36.3 (51.8) 3	63.0 (69.3) 10	41.2 (54.4) 8	40.9 (55.3) 6	46.7 (60.5) 19	43.8 (57.4) 11	50.0 (65.9) 9	50.3 (65.4) 5	48.1 (62.9) 4	39.4 (53.4) 6	40.8 (55.4) 10	42.7 (56.9) 14	41.8 (55.1) 10	41.5 (55.6) 2	31.0 (44.4) 1	43.7 (57.4) 10	44.6 (59.3) 8	40.9 (53.5) 5	46.7 (60.4) 16	45.3 (59.4) 11	34.7 (48.3) 2	---	44.9 (58.2) 9	41.6 (54.7) 6	37.7 (50.5) 4	47.2 (62.0) 13	43.2 (56.8) 9	29.8 (45.2) 1	34.8 (47.7) 2	43.5 (56.5) 6	44.8 (58.0) 14	49.5 (59.8) 8	
17	金井中学校 (町田市金井)	---	32.5 (44.6) 1	---	37.9 (43.9) 1	---	43.3 (58.2) 7	41.9 (53.1) 1	37.2 (44.8) 1	41.1 (49.5) 1	42.9 (55.9) 5	36.1 (44.4) 1	36.1 (48.1) 1	---	---	---	38.9 (52.1) 2	33.8 (47.1) 2	44.2 (56.6) 5	48.0 (59.2) 14	40.1 (54.1) 3	---	---	41.2 (54.0) 3	39.5 (52.9) 3	---	40.5 (54.5) 0	38.8 (52.0) 3	---	---	42.7 (56.1) 3	45.6 (57.6) 9	39.8 (52.2) 2	
18	鶴川中学校 (町田市小野路町)	34.1 (49.7) 1	---	34.2 (51.1) 2	---	35.6 (51.8) 4	36.7 (50.2) 2	45.0 (60.2) 15	44.6 (54.2) 2	49.1 (62.8) 1	38.9 (48.5) 2	---	---	---	---	---	45.1 (57.1) 3	---	42.6 (53.7) 0	37.5 (49.0) 4	38.8 (49.0) 1	---	---	41.8 (53.3) 4	43.0 (54.8) 4	45.8 (54.1) 3	---	38.2 (50.6) 4	---	45.9 (53.7) 1	33.3 (45.5) 1	42.4 (55.5) 5	40.7 (53.0) 2	
19	大沼小学校 (相模原市東大沼)	48.3 (60.0) 3	42.0 (55.1) 7	39.1 (52.9) 4	41.4 (54.3) 6	51.1 (61.8) 2	42.4 (55.9) 3	47.5 (58.1) 1	55.8 (67.6) 4	51.9 (65.6) 4	52.0 (66.5) 6	45.8 (58.0) 7	47.0 (61.0) 8	33.4 (46.2) 2	34.5 (47.0) 2	32.1 (44.6) 1	31.5 (43.0) 1	38.8 (51.1) 3	---	42.1 (55.5) 0	37.3 (48.4) 2	47.0 (58.7) 4	---	---	41.2 (53.0) 3	29.4 (44.5) 1	37.7 (49.4) 3	45.0 (57.1) 5	38.0 (48.5) 2	36.3 (48.5) 2	---	36.9 (49.7) 0	38.2 (50.7) 3	46.1 (58.6) 3
20	国分コミュニティセンター (海老名市国分南)	---	38.3 (54.2) 3	35.1 (48.5) 2	45.3 (56.4) 2	37.3 (50.4) 2	39.3 (53.2) 4	37.5 (56.3) 1	---	---	40.9 (54.0) 2	37.2 (51.0) 4	37.9 (53.0) 3	37.6 (52.1) 2	41.6 (54.1) 1	---	32.2 (46.8) 2	32.7 (46.8) 2	39.2 (51.2) 3	38.2 (51.6) 4	---	36.9 (49.6) 1	33.5 (48.3) 2	28.8 (43.1) 1	39.2 (53.7) 1	---	32.7 (46.0) 1	45.3 (62.4) 3	---	---	33.2 (46.4) 2	---	37.7 (52.2) 2	

※数値は速報値です。後日、修正されることがありますので、データ利用の際にはご注意ください。

お問い合わせ先
南関東防衛局 企画部 住宅防音第1課
045-211-7113

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和5年10月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定点 No.	測定場所	1日 (日)	2日 (月)	3日 (火)	4日 (水)	5日 (木)	6日 (金)	7日 (土)	8日 (日)	9日 (月)	10日 (火)	11日 (水)	12日 (木)	13日 (金)	14日 (土)	15日 (日)	16日 (月)	17日 (火)	18日 (水)	19日 (木)	20日 (金)	21日 (土)	22日 (日)	23日 (月)	24日 (火)	25日 (水)	26日 (木)	27日 (金)	28日 (土)	29日 (日)	30日 (月)	31日 (火)	平均
21	御所見中学校 (藤沢市用田)	--- (---) 0	49.0 (60.0) 3	41.9 (55.7) 5	46.9 (60.9) 8	47.8 (61.9) 4	43.1 (57.2) 7	46.1 (63.2) 1	---	---	40.7 (54.5) 5	42.3 (56.7) 6	48.1 (63.3) 10	46.5 (62.1) 12	---	---	40.8 (54.8) 3	37.3 (50.4) 4	42.2 (56.1) 6	37.5 (52.2) 3	---	29.3 (44.2) 1	---	46.4 (60.7) 10	---	---	43.1 (58.3) 5	36.4 (49.3) 3	---	---	---	35.4 (50.3) 2	42.2 (56.6) 3
22	湘南台小学校 (藤沢市湘南台)	---	56.9 (65.4) 3	---	---	---	30.8 (43.6) 1	39.9 (54.3) 1	39.7 (52.5) 2	37.3 (53.9) 2	38.3 (51.1) 1	---	---	---	32.3 (43.9) 1	---	30.4 (44.2) 1	32.7 (45.0) 1	---	36.9 (50.7) 2	36.5 (48.2) 2	31.2 (45.1) 1	---	---	32.3 (43.9) 1	---	33.2 (45.1) 1	29.1 (43.1) 1	---	---	35.7 (48.3) 3	---	42.4 (51.9) 1
23	小和田小学校 (茅ヶ崎市小和田)	---	43.3 (54.4) 4	32.1 (44.6) 1	---	---	29.4 (43.4) 1	40.0 (52.7) 2	48.0 (62.4) 5	53.0 (70.2) 2	---	35.3 (49.3) 3	35.8 (45.1) 1	---	41.9 (56.4) 1	---	---	35.1 (48.3) 2	32.8 (47.0) 2	33.4 (48.3) 2	---	---	---	---	36.3 (49.7) 4	28.7 (44.0) 1	35.8 (49.2) 2	31.1 (43.8) 1	---	30.8 (43.9) 1	38.4 (50.2) 2	---	40.5 (56.5) 0

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先

南関東防衛局 企画部 住宅防音第1課

045-211-7113