

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和5年12月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (金)	2日 (土)	3日 (日)	4日 (月)	5日 (火)	6日 (水)	7日 (木)	8日 (金)	9日 (土)	10日 (日)	11日 (月)	12日 (火)	13日 (水)	14日 (木)	15日 (金)	16日 (土)	17日 (日)	18日 (月)	19日 (火)	20日 (水)	21日 (木)	22日 (金)	23日 (土)	24日 (日)	25日 (月)	26日 (火)	27日 (水)	28日 (木)	29日 (金)	30日 (土)	31日 (日)	平均
1	行政財産内 (大和市上草柳)	57.9 (76.4) 45	62.7 (81.2) 15	63.1 (77.7) 13	75.8 (94.6) 82	71.7 (89.4) 83	78.3 (97.9) 93	63.7 (82.6) 74	59.5 (78.5) 42	63.9 (82.5) 48	46.9 (69.9) 3	53.2 (69.4) 23	61.5 (77.7) 106	62.4 (79.1) 129	58.2 (75.6) 57	58.4 (75.8) 27	55.3 (74.3) 7	53.0 (73.8) 10	55.5 (73.4) 43	56.1 (72.9) 38	64.0 (83.5) 117	64.0 (83.2) 78	60.1 (80.6) 40	58.4 (77.7) 20	51.5 (68.5) 4	57.8 (76.6) 30	63.3 (83.3) 54	56.8 (73.5) 64	59.9 (77.1) 54	55.2 (72.3) 14	53.3 (70.4) 5	51.4 (68.6) 3	66.8 (85.8) 46
2	行政財産内 (大和市福田)	58.8 (76.6) 52	60.3 (75.1) 31	55.2 (70.4) 5	68.8 (88.5) 65	75.0 (96.7) 115	71.5 (93.9) 75	74.0 (93.4) 65	55.5 (72.9) 35	63.3 (79.7) 32	41.9 (58.4) 3	59.1 (77.8) 29	64.8 (81.7) 105	65.9 (83.0) 143	62.8 (80.9) 87	58.9 (76.8) 26	56.0 (73.5) 7	54.7 (73.0) 5	59.8 (78.7) 47	58.7 (77.3) 53	61.9 (80.8) 98	58.9 (75.3) 59	53.0 (69.1) 31	56.0 (72.7) 17	53.3 (72.5) 3	57.8 (76.6) 31	58.2 (74.6) 52	62.0 (80.7) 73	63.4 (82.1) 59	53.0 (70.6) 9	52.8 (72.0) 3	45.7 (65.1) 1	65.3 (85.1) 46
3	綾南小学校 (綾瀬市上土棚中)	47.8 (62.0) 19	49.3 (62.9) 12	42.5 (55.4) 4	59.6 (74.8) 28	59.4 (74.9) 59	62.2 (78.4) 37	64.5 (79.7) 36	47.6 (61.4) 14	54.8 (68.7) 15	29.2 (43.4) 1	50.2 (64.9) 20	57.4 (70.2) 65	59.4 (73.6) 79	50.7 (64.5) 31	46.5 (59.8) 12	48.9 (61.9) 4	41.4 (54.7) 3	49.9 (65.5) 25	47.1 (60.8) 18	54.7 (70.0) 62	50.9 (64.9) 32	45.9 (59.3) 13	49.7 (63.9) 17	40.1 (52.7) 3	49.4 (63.7) 28	48.8 (62.8) 16	52.9 (67.4) 48	52.3 (66.1) 36	42.1 (57.9) 3	40.4 (55.4) 2	35.8 (48.5) 1	55.0 (70.1) 24
4	天台小学校 (綾瀬市寺尾台)	51.0 (65.2) 26	45.5 (57.5) 6	49.9 (61.9) 12	54.3 (66.5) 33	54.6 (70.8) 33	55.6 (68.6) 37	50.1 (63.1) 24	47.9 (61.6) 12	53.6 (68.7) 28	---	47.7 (61.5) 0	50.5 (63.2) 15	56.2 (70.7) 16	52.3 (67.2) 89	41.0 (55.5) 3	40.1 (55.4) 1	38.4 (53.0) 2	47.1 (61.9) 20	43.9 (58.1) 11	54.2 (69.6) 59	52.0 (67.6) 40	47.3 (62.1) 23	43.7 (58.9) 3	---	48.8 (62.6) 0	53.0 (68.8) 28	51.2 (65.5) 35	54.2 (70.2) 49	42.6 (57.4) 40	35.9 (51.5) 5	---	50.7 (65.3) 0
5	引地台中学校 (大和市柳橋)	44.4 (58.1) 7	52.0 (63.8) 35	50.9 (61.5) 28	62.1 (75.8) 18	58.6 (72.6) 37	60.3 (75.8) 30	60.6 (74.1) 26	48.3 (61.2) 16	54.2 (61.7) 18	35.9 (---) 0	44.4 (53.0) 3	52.4 (65.2) 35	48.8 (61.0) 23	54.3 (66.8) 40	45.8 (62.5) 5	39.8 (53.9) 3	41.6 (51.0) 1	36.2 (47.1) 2	44.4 (56.9) 6	43.9 (57.2) 10	46.9 (61.0) 25	40.9 (54.4) 10	36.2 (49.2) 1	---	40.9 (53.9) 7	35.9 (49.5) 3	42.1 (54.5) 6	43.1 (57.0) 8	42.9 (56.3) 5	38.7 (54.7) 2	31.1 (46.6) 1	52.7 (66.7) 13
6	座間防衛事務所 (大和市鶴間)	47.9 (62.3) 23	50.3 (66.7) 10	45.4 (59.0) 8	63.2 (76.3) 21	59.5 (71.7) 22	64.3 (78.6) 29	54.8 (72.5) 16	48.3 (63.2) 22	54.2 (68.5) 29	35.9 (51.2) 2	44.4 (57.9) 15	53.1 (66.2) 27	52.0 (66.0) 53	47.3 (61.5) 20	51.3 (64.7) 14	44.6 (59.1) 6	44.9 (58.2) 5	44.7 (59.8) 15	47.0 (60.6) 16	53.3 (68.5) 65	51.7 (66.5) 49	48.5 (64.1) 26	46.7 (60.6) 17	44.2 (58.3) 3	47.3 (61.4) 16	50.6 (65.6) 46	48.0 (62.3) 22	50.5 (64.4) 32	47.8 (61.7) 7	45.9 (59.7) 4	44.3 (56.8) 3	54.2 (68.3) 21
7	上鶴間小学校 (相模原市上鶴間)	47.9 (61.0) 13	45.9 (60.9) 4	36.4 (48.8) 2	60.1 (76.1) 10	55.9 (67.9) 11	61.2 (73.9) 21	50.1 (63.5) 13	47.2 (61.1) 14	52.9 (66.7) 14	39.7 (53.9) 2	50.1 (64.6) 3	46.8 (60.0) 11	47.2 (60.2) 17	41.4 (54.9) 8	48.2 (61.5) 10	43.1 (56.1) 5	43.3 (57.1) 4	40.0 (53.0) 5	40.9 (53.6) 7	48.4 (62.0) 14	49.3 (62.5) 15	45.5 (60.8) 6	42.8 (56.3) 7	38.8 (51.8) 2	42.0 (58.4) 3	43.3 (52.8) 5	44.4 (56.3) 8	43.8 (57.7) 5	39.6 (52.5) 3	42.0 (55.1) 3	51.0 (65.0) 8	
8	西鶴間小学校 (大和市西鶴間)	51.1 (66.2) 29	57.1 (73.4) 13	52.3 (65.2) 8	71.6 (87.5) 40	68.2 (83.9) 27	72.9 (90.3) 40	51.8 (66.4) 20	50.6 (65.7) 20	55.8 (71.3) 31	40.2 (54.5) 1	50.1 (64.7) 16	52.9 (67.8) 27	55.2 (69.7) 83	52.0 (67.1) 33	52.9 (68.8) 14	46.8 (62.9) 5	47.2 (60.2) 5	49.1 (64.7) 19	51.6 (66.4) 21	55.3 (71.2) 68	51.5 (65.4) 45	47.8 (61.9) 21	47.7 (62.4) 14	47.7 (62.5) 3	50.5 (64.4) 23	53.6 (69.3) 47	52.2 (67.2) 40	54.0 (68.8) 41	48.4 (62.2) 6	48.6 (62.7) 4	46.0 (59.9) 3	61.6 (78.1) 25
9	相模野小学校 (座間市広野台)	39.7 (55.8) 4	35.2 (50.0) 1	30.4 (44.9) 1	57.0 (69.3) 9	50.7 (60.8) 3	54.9 (66.2) 10	52.0 (69.4) 3	37.1 (52.3) 3	51.2 (65.6) 13	---	---	37.6 (52.4) 2	46.9 (61.3) 15	36.2 (48.1) 2	---	31.4 (43.7) 1	---	33.7 (47.4) 0	32.4 (47.1) 1	46.7 (61.8) 16	44.7 (60.1) 12	41.9 (57.0) 8	43.0 (56.6) 6	---	35.4 (50.3) 1	32.4 (47.7) 13	34.1 (47.7) 2	42.1 (56.9) 5	---	---	---	46.7 (60.3) 4
10	文ヶ岡小学校 (大和市桜森)	46.9 (59.1) 16	55.9 (68.1) 11	54.7 (69.8) 14	65.2 (74.4) 46	61.7 (74.1) 25	66.4 (80.1) 64	56.9 (70.4) 43	52.8 (66.0) 17	53.5 (65.3) 23	---	43.5 (56.5) 10	52.9 (67.1) 26	56.8 (69.9) 34	53.7 (69.8) 18	42.9 (56.9) 7	34.7 (48.0) 2	37.8 (49.5) 1	41.4 (54.2) 8	46.6 (59.2) 14	52.2 (64.9) 41	46.3 (60.5) 13	41.9 (54.6) 8	31.6 (43.7) 1	37.7 (48.3) 2	40.9 (53.3) 6	49.6 (64.1) 19	46.7 (61.0) 23	46.1 (60.3) 19	42.7 (54.8) 6	38.9 (51.0) 3	42.0 (54.9) 4	56.0 (68.7) 17

※数値は速報値です。後日、修正されることがありますので、データ利用の際にはご注意ください。

お問い合わせ先
南関東防衛局 企画部 住宅防音第1課
045-211-7113

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和5年12月

上段：Lden 中段：WECPNL 下段：騒音発生回数

測定点 No.	測定場所	1日 (金)	2日 (土)	3日 (日)	4日 (月)	5日 (火)	6日 (水)	7日 (木)	8日 (金)	9日 (土)	10日 (日)	11日 (月)	12日 (火)	13日 (水)	14日 (木)	15日 (金)	16日 (土)	17日 (日)	18日 (月)	19日 (火)	20日 (水)	21日 (木)	22日 (金)	23日 (土)	24日 (日)	25日 (月)	26日 (火)	27日 (水)	28日 (木)	29日 (金)	30日 (土)	31日 (日)	平均	
11	中村自治会館 (綾瀬市深谷中)	52.8 (64.2) 18	54.9 (67.1) 25	54.0 (66.7) 8	54.1 (67.4) 42	60.0 (74.0) 71	59.7 (73.8) 75	57.1 (70.2) 31	52.1 (65.2) 38	55.2 (67.9) 34	---	49.7 (62.9) 9	58.0 (71.3) 51	55.3 (68.7) 58	56.2 (70.0) 43	47.7 (61.4) 9	42.9 (56.3) 3	---	51.4 (65.5) 11	54.1 (67.7) 45	53.5 (67.0) 44	51.4 (65.1) 55	47.2 (60.5) 24	39.3 (50.8) 2	---	---	47.6 (61.4) 16	49.3 (62.6) 12	47.6 (61.1) 10	44.4 (57.9) 2	---	---	53.2 (66.7) 24	
12	大庭中学校 (藤沢市大庭)	44.7 (58.6) 8	41.0 (55.7) 2	33.0 (45.9) 1	52.7 (67.7) 11	58.2 (74.2) 37	53.7 (72.1) 19	55.6 (69.1) 19	42.3 (55.8) 6	50.6 (65.2) 6	32.5 (44.6) 1	47.5 (61.3) 10	56.0 (71.3) 46	51.4 (64.1) 24	45.2 (58.6) 9	47.2 (61.2) 11	37.1 (50.8) 2	43.6 (57.1) 2	45.4 (59.2) 8	48.1 (62.6) 13	47.9 (60.2) 10	43.3 (53.4) 6	39.0 (50.8) 5	43.5 (56.6) 6	39.4 (51.3) 6	39.8 (53.2) 5	42.3 (55.0) 7	47.1 (61.2) 12	48.6 (61.1) 11	39.3 (52.0) 2	42.7 (58.7) 2	34.1 (47.1) 1	49.4 (64.3) 10	
13	立野台小学校 (座間市立野台)	38.4 (53.5) 7	45.4 (58.4) 2	34.2 (47.1) 2	58.7 (70.9) 11	45.4 (56.5) 6	52.2 (64.7) 17	50.2 (67.8) 2	31.1 (46.6) 1	48.2 (62.1) 18	---	---	32.8 (43.6) 1	44.5 (59.8) 9	42.5 (55.3) 4	---	---	---	30.5 (45.9) 1	44.5 (55.8) 5	46.6 (60.5) 29	46.5 (61.1) 13	38.0 (52.3) 6	45.3 (58.6) 10	---	---	42.4 (56.6) 12	---	37.6 (52.2) 2	39.2 (53.1) 2	---	---	46.5 (59.9) 5	
14	JAさがみ綾西支店 (綾瀬市綾西)	45.4 (58.1) 8	54.9 (67.9) 13	55.0 (76.5) 11	59.7 (72.7) 19	57.9 (70.5) 22	55.6 (70.5) 29	41.4 (54.2) 4	53.1 (68.1) 12	56.3 (69.1) 19	---	41.8 (58.2) 6	50.2 (61.4) 12	52.4 (66.4) 39	46.8 (60.3) 18	40.4 (54.9) 2	---	39.4 (54.9) 0	42.5 (57.4) 1	36.6 (50.4) 2	47.0 (60.9) 27	42.4 (56.0) 11	34.6 (46.9) 2	40.0 (53.7) 5	---	39.4 (53.4) 5	42.2 (56.6) 2	44.7 (59.2) 11	48.8 (63.4) 22	38.9 (52.8) 5	---	---	50.9 (65.7) 10	
15	町田市健康福祉会館 (町田市原町田)	46.3 (58.7) 9	32.3 (43.4) 1	35.1 (47.4) 1	50.3 (61.3) 5	48.6 (60.2) 6	54.4 (67.0) 13	48.4 (62.6) 9	44.5 (58.4) 7	48.1 (60.6) 4	---	39.0 (48.5) 2	---	42.8 (55.2) 6	---	43.1 (55.8) 3	42.0 (53.2) 1	40.3 (51.8) 1	38.5 (54.6) 2	---	45.3 (59.3) 6	47.6 (60.1) 8	43.4 (57.5) 4	39.8 (53.4) 3	---	36.0 (50.8) 1	42.2 (56.5) 2	---	39.7 (50.3) 3	36.5 (51.7) 1	29.6 (43.6) 1	36.2 (47.8) 2	44.7 (57.3) 3	
16	藤沢総合高校 (藤沢市長後)	40.6 (52.9) 6	39.9 (53.9) 4	39.2 (52.3) 2	53.6 (68.3) 19	54.1 (68.5) 42	55.0 (68.8) 22	64.4 (77.9) 23	45.0 (57.9) 11	50.2 (63.9) 12	---	37.6 (52.5) 0	54.6 (65.6) 4	51.2 (63.7) 48	42.9 (55.8) 25	42.5 (55.7) 6	50.1 (64.2) 3	---	39.3 (52.0) 0	40.3 (56.2) 5	45.7 (59.7) 20	48.7 (63.4) 5	41.1 (55.7) 4	40.8 (53.3) 4	32.2 (46.8) 1	41.3 (54.7) 9	43.0 (56.6) 7	44.2 (56.2) 9	45.5 (56.9) 17	30.5 (45.0) 1	31.8 (44.6) 1	32.5 (47.7) 1	51.6 (65.2) 11	
17	金井中学校 (町田市金井)	45.3 (56.9) 7	---	32.1 (43.5) 1	43.5 (54.5) 4	37.4 (47.4) 2	51.8 (64.2) 5	43.9 (55.3) 6	41.6 (55.5) 5	---	---	43.2 (53.4) 4	---	37.1 (48.7) 0	40.8 (51.7) 2	---	42.2 (56.0) 1	---	32.7 (46.8) 0	37.6 (48.6) 1	36.6 (54.9) 5	43.4 (53.0) 2	40.8 (51.2) 2	37.1 (45.1) 1	32.8 (43.5) 0	---	33.0 (44.3) 1	36.7 (49.1) 2	---	37.9 (46.8) 2	32.8 (45.1) 1	---	---	40.8 (52.8) 2
18	鶴川中学校 (町田市小野路町)	43.2 (58.2) 5	43.6 (57.7) 3	---	42.1 (52.5) 4	44.5 (58.4) 7	43.2 (57.0) 4	40.1 (54.4) 2	39.7 (53.6) 2	---	32.7 (43.0) 1	31.6 (44.1) 1	---	---	39.7 (52.0) 4	33.8 (48.8) 1	42.2 (55.8) 4	---	---	33.7 (43.2) 0	46.5 (59.6) 3	35.9 (50.5) 3	---	---	32.2 (43.5) 0	---	33.2 (44.3) 1	34.5 (48.6) 2	---	32.4 (43.7) 0	29.2 (46.5) 1	---	---	38.5 (52.1) 2
19	大沼小学校 (相模原市東大沼)	42.1 (56.5) 4	45.8 (58.6) 7	38.4 (47.5) 2	57.5 (68.6) 5	55.1 (66.3) 3	57.2 (72.5) 11	---	43.4 (56.2) 4	42.0 (54.0) 4	---	49.2 (62.0) 8	33.9 (47.9) 1	44.3 (59.1) 5	34.8 (45.0) 1	28.5 (43.8) 1	29.7 (45.3) 1	39.6 (49.8) 2	---	41.7 (53.4) 0	---	43.9 (57.8) 3	43.0 (55.8) 5	---	---	33.2 (47.1) 0	---	44.2 (55.7) 3	33.2 (44.3) 1	30.7 (45.2) 1	31.8 (45.7) 1	47.5 (60.6) 3		
20	国分コミュニティセンター (海老名市国分南)	42.2 (56.1) 5	43.2 (56.7) 5	43.9 (55.1) 7	49.9 (63.6) 6	48.7 (66.6) 7	41.6 (57.9) 8	35.6 (47.1) 2	38.8 (51.2) 3	46.2 (58.2) 8	---	31.9 (45.5) 1	43.3 (55.2) 3	46.3 (59.4) 8	38.5 (55.1) 3	35.0 (50.8) 2	---	---	---	---	28.2 (43.1) 1	---	---	40.0 (53.0) 6	---	30.0 (45.3) 1	---	32.3 (46.9) 1	39.2 (52.9) 4	29.5 (43.0) 1	---	---	41.1 (55.8) 3	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先
南関東防衛局 企画部 住宅防音第1課
045-211-7113

厚木飛行場周辺の航空機騒音状況

厚木飛行場周辺に設置している自動騒音測定装置による測定結果は、次のとおりです。

令和5年12月

上段：Lden

中段：WECPNL

下段：騒音発生回数

測定点 No.	測定場所	1日 (金)	2日 (土)	3日 (日)	4日 (月)	5日 (火)	6日 (水)	7日 (木)	8日 (金)	9日 (土)	10日 (日)	11日 (月)	12日 (火)	13日 (水)	14日 (木)	15日 (金)	16日 (土)	17日 (日)	18日 (月)	19日 (火)	20日 (水)	21日 (木)	22日 (金)	23日 (土)	24日 (日)	25日 (月)	26日 (火)	27日 (水)	28日 (木)	29日 (金)	30日 (土)	31日 (日)	平均	
21	御所見中学校 (藤沢市用田)	33.7 (48.8) 2	42.7 (53.6) 3	39.4 (53.3) 2	47.0 (61.5) 9	43.3 (58.7) 5	46.2 (62.3) 11	42.2 (52.7) 3	---	41.7 (56.0) 5	---	---	37.4 (50.1) 3	48.9 (63.8) 23	39.4 (54.3) 3	---	---	30.1 (45.0) 1	---	36.6 (48.4) 2	43.3 (57.3) 12	41.2 (55.9) 4	37.3 (51.6) 2	34.3 (48.7) 2	---	40.9 (54.3) 5	32.2 (44.2) 1	40.6 (54.7) 5	42.0 (55.3) 7	34.1 (48.9) 1	---	---	40.6 (55.1) 4	
22	湘南台小学校 (藤沢市湘南台)	---	---	32.5 (52.1) 1	45.2 (57.3) 5	44.2 (58.7) 6	48.6 (61.0) 6	55.6 (68.4) 5	33.8 (44.9) 1	41.8 (53.4) 4	---	---	38.1 (50.3) 1	---	34.5 (48.5) 1	36.0 (46.9) 2	44.8 (59.1) 2	---	---	---	---	41.9 (55.7) 6	32.1 (44.7) 1	---	---	---	---	---	---	---	---	---	---	42.7 (55.6) 1
23	小和田小学校 (茅ヶ崎市小和田)	37.2 (50.4) 2	---	---	45.5 (60.4) 9	46.6 (59.4) 5	44.8 (59.3) 5	46.3 (57.7) 4	---	44.7 (57.0) 4	---	37.2 (52.1) 1	45.6 (56.9) 5	---	33.8 (45.9) 1	---	24.4 (43.9) 1	---	33.1 (44.0) 1	42.2 (50.4) 1	36.8 (50.4) 2	35.0 (47.1) 2	35.0 (48.9) 1	43.1 (53.8) 2	---	31.3 (44.9) 1	37.4 (51.9) 1	31.0 (47.1) 1	35.0 (47.3) 1	---	---	---	39.8 (52.6) 2	

※数値は速報値です。後日、修正されることがありますので、データ利用の際はご注意ください。

お問い合わせ先

南関東防衛局 企画部 住宅防音第1課

045-211-7113